

THE LIBRARY OF THE
UNIVERSITY OF
NORTH CAROLINA



THE COLLECTION OF
NORTH CAROLINIANA

C614.1
N87v
1956
part 1

UNIVERSITY OF N.C. AT CHAPEL HILL




00032777200

**This book must not
be taken from the
Library building.**

~~OCT 8 1959~~

--	--	--



ANNUAL REPORT
OF
PUBLIC HEALTH
STATISTICS SECTION

PART I

COMMUNICABLE DISEASE
MORBIDITY STATISTICS

1956

NORTH CAROLINA STATE BOARD OF HEALTH
EPIDEMIOLOGY DIVISION

J.W. R. NORTON, M. D.
Secretary
and State Health Officer

2614.1
7896
1956 1pt.1

TABLE OF CONTENTS

	Page
Introduction.....	1
TABLES	
1. Estimated Population by Color: North Carolina and Each County, July 1, 1956.....	3
2. Estimated Population by Color and Sex: North Carolina, 1936-1956.....	4
3. Cases of Reportable Communicable Diseases by Disease and Year of Report: North Carolina, 1916-1956.....	5
4. Morbidity Rates Per 100,000 Population for Selected Reportable Communicable Diseases by Disease and Year of Report: North Carolina, 1941-1956.....	9
5. Cases of Reportable Communicable Diseases by Disease and County of Residence: North Carolina, 1956.....	10
6. Cases of Reportable Communicable Diseases by Disease and Month of Onset: North Carolina, 1956.....	24
7. Cases of Reportable Communicable Diseases by Disease and Age: North Carolina, 1956.....	25
8. Cases of Reportable Communicable Diseases by Disease, Color, and Sex with Rates Per 100,000 Population: North Carolina, 1956.....	26
9. Cases of Gastro-enteritis by County of Residence, Type, and Color: North Carolina, 1956.....	28
10. Cases of Previously Untreated Gonorrhea by County of Report, Type, Color, and Sex: North Carolina, 1956.....	31
11. Cases of Infectious Jaundice by County of Residence, Type, and Color: North Carolina, 1956.....	35
12. Cases of Poliomyelitis by County of Residence, Color, Paralytic Status, and Month of Onset: North Carolina, 1956.....	36
13. Cases of Previously Untreated Syphilis by County of Report, Stage, Color, and Sex: North Carolina, 1956.....	39
14. Cases of Previously Untreated Syphilis by Stage, Color, and Sex with Rates Per 100,000 Population: North Carolina, 1940, 1950 and 1956.....	43
15. Cases of Previously Untreated Congenital Syphilis by Year of Birth, Year of Report, and Color: North Carolina, 1949-1956.....	44
16. Cases of Tuberculosis, All Forms, by County of Residence, Type, Stage, Activity, and Color: North Carolina, 1956.....	46

INTRODUCTION

Communicable disease morbidity statistics for North Carolina for 1956 are given in this bulletin as Part I of the Annual Report of the Public Health Statistics Section. This is the twenty-fifth year for which such a bulletin has been published. Natality and mortality data will be published as Part II later in the year.

A discussion summary of the reportable communicable disease situation in the state is given on the following page. Following this are population estimates and general summary tables showing the reported incidence of reportable communicable diseases in 1956 by county, age, month of onset, sex, and color. More detailed summaries are also given for certain selected diseases.

SOURCE OF DATA

These data were derived from report cards received from military bases, local physicians, health departments, and hospitals in North Carolina, and through interstate reciprocal notification of disease. Routinely all death certificates which list a reportable communicable disease as a cause of death are checked against the case report files. Case reports are then obtained for all previously unreported cases. Information on trends may be obtained by reference to the 1953 report. More detailed data than that published in this report have been tabulated and will be made available upon request.

REPORT PERIOD

The data included in this report are for cases of communicable disease which had their onset in 1956 with the exception of amebiasis, tuberculosis, and the venereal diseases which are according to date of report. Reports of all cases having their onset in 1956 and received during the period January 1, 1956 to January 31, 1957 and those with unknown date of onset received in 1956 are included. For those diseases tabulated by date of report, all reports received during 1956 are included, regardless of onset date.

RESIDENCE

The cases included in this report, with the exception of the venereal diseases, are for residents of North Carolina and are allocated to county of residence of the patient. Venereal disease cases are allocated to county of report unless reported by a hospital or institution; in which case they are assigned to the county of residence. Only those counties for which cases were reported are shown in the residence tables.

RATES

All rates shown are per 100,000 population. A 20-year trend in morbidity rates for selected reportable communicable diseases is shown in table 4. Rates by sex and color for all reportable diseases are given in table 8.

POPULATION

North Carolina population estimates by county and color, 1956 and by color and sex, 1936-1956 are given in tables 1 and 2, respectively.

Population estimates for 1936-1950 are those prepared by the U. S. Bureau of the Census. For the years 1951-1956, estimates were made in the Public Health Statistics Section. The arithmetic method was used for estimating the total population assuming the same average annual increase or decrease for the decade 1950 to 1960 as occurred between 1940 and 1950. Sex and color estimates were obtained by this same method.

DISCUSSION

The number of cases of diphtheria fell from 85 cases reported in 1955 to 70 in 1956. An encouraging decline in cases has been noted in each of the past three years.

A decline was also seen in the number of cases of meningococcus disease reported in 1956. Ninety-six cases were recorded; 144 were recorded in the previous year.

Cyclic changes in whooping cough incidence were reflected in a case reduction from 1,366 in 1955 to 539 in 1956; an increase of cases of measles from 1,385 to 7,630 was noted during the same period of time.

Malaria, once responsible for large numbers of cases of illness, was reported only four times in 1956. Eighteen cases were reported in 1955; the decline in incidence is a reflection of a decline in cases of extra-territorial, military origin.

In the diseases of animal origin transmissible to man, psittacosis showed an increase in reported incidence from 9 cases in 1955 to 75 in the present year. Similarly, during the same interval, cases of brucellosis increased from two to ten.

Typhoid fever, still worthy of note as a problem in epidemiology, fell from 37 to 23 cases in 1955 and 1956, respectively.

Among the exanthems, smallpox was of interest in that an instance, unconfirmed by laboratory study, was brought to the attention of public health workers.

Trichinosis, a parasitic disease of animal origin claimed 9 cases in 1956. The patients contracted the disease after consuming poorly cooked pork products.

A reduction in reported cases of poliomyelitis from 463 cases in 1955 to 315 cases in 1956 was noted. The past year is the fourth successive year in which a reduction in cases has occurred. In 1955, paralytic cases made up 39 per cent of the total while in 1956 paralytic cases constituted 57 per cent of the cases reported. The poliomyelitis situation is of great interest in view of the vigorous Salk poliomyelitis vaccination programs presently being carried out.

Symbols Used in Tables

- Number or rate is zero
- / Disease was not reportable
- N.A. Data was not available
- O.O Rate is more than 0 but less than 0.05

ANNUAL REPORT OF MORBIDITY STATISTICS

TABLE 1. -- ESTIMATED POPULATION BY COLOR: NORTH CAROLINA AND EACH COUNTY, JULY 1, 1956

AREA	POPULATION			AREA	POPULATION		
	Total	White	Nonwhite		Total	White	Nonwhite
NORTH CAROLINA	4,368,373	3,242,802	1,125,571				
Alamance.....	79,839	65,044	14,796	Johnston.....	67,225	52,373	14,852
Alexander.....	15,241	14,152	1,089	Jones.....	11,054	5,936	5,118
Alleghany.....	8,036	7,794	242	Lee.....	26,509	19,906	6,603
Anson.....	25,745	13,310	12,435	Lenoir.....	48,915	27,838	21,077
Ashe.....	21,384	21,230	154	Lincoln.....	29,503	25,909	3,594
Avery.....	13,221	13,054	167	McDowell.....	27,420	26,223	1,197
Beaufort.....	37,571	23,668	13,903	Macon.....	16,355	16,063	292
Bertie.....	26,589	10,191	16,398	Madison.....	19,272	19,098	174
Bladen.....	31,297	18,405	12,891	Martin.....	29,032	14,127	14,905
Brunswick.....	20,557	12,754	7,803	Mecklenburg..	225,326	171,185	54,141
Buncombe.....	134,184	119,457	14,727	Mitchell.....	14,618	14,582	36
Burke.....	49,890	46,285	3,545	Montgomery...	17,872	13,783	4,089
Cabarrus.....	66,527	56,793	9,734	Moore.....	34,479	25,860	8,619
Caldwell.....	48,077	44,878	3,199	Nash.....	62,613	35,883	26,730
Camden.....	5,057	3,207	1,880	New Hanover..	72,860	51,286	21,574
Carteret.....	26,040	23,008	3,034	Northampton..	28,513	9,819	18,694
Caswell.....	21,395	10,955	10,440	Onslow.....	57,116	49,296	7,820
Catawba.....	68,131	62,264	5,867	Orange.....	41,535	31,947	9,588
Chatham.....	25,111	17,526	8,285	Pamlico.....	10,174	6,668	3,506
Cherokee.....	17,969	17,590	379	Pasquotank...	26,710	17,080	9,630
Chowan.....	13,146	7,654	5,492	Pender.....	18,867	9,542	9,325
Clay.....	5,756	5,696	60	Perquimans...	9,490	4,995	4,496
Cleveland.....	68,294	53,459	14,835	Person.....	23,942	15,442	8,500
Columbus.....	53,721	34,986	18,735	Pitt.....	65,377	35,598	29,779
Craven.....	59,779	42,827	16,952	Polk.....	11,471	10,049	1,422
Cumberland...	118,939	88,036	30,903	Randolph.....	54,710	50,417	4,293
Currituck....	5,862	4,125	1,757	Richmond.....	41,341	29,381	11,960
Dare.....	5,005	4,632	323	Robeson.....	94,588	39,259	55,329
Davidson.....	67,788	61,050	6,708	Rockingham...	69,141	55,530	13,611
Davie.....	15,789	13,604	2,135	Rowan.....	79,285	66,475	12,810
Duplin.....	41,905	26,090	15,815	Rutherford....	46,843	41,444	5,399
Durham.....	115,008	77,884	37,124	Sampson.....	51,242	32,055	19,187
Edgecombe....	53,178	26,274	26,904	Scotland.....	28,274	15,581	12,693
Forsyth.....	158,422	116,805	41,617	Stanly.....	39,817	35,385	4,432
Franklin.....	31,941	16,857	15,084	Stokes.....	20,807	19,101	1,706
Gaston.....	125,398	109,081	16,317	Surry.....	47,974	45,317	2,657
Gates.....	9,245	4,182	5,066	Swain.....	8,508	6,958	1,550
Graham.....	7,180	6,928	252	Transylvania..	17,038	16,342	696
Granville....	33,324	18,552	14,772	Tyrrell.....	4,729	2,591	2,138
Greene.....	17,705	9,115	8,590	Union.....	43,872	34,196	9,674
Guilford.....	214,270	173,732	40,538	Vance.....	33,438	18,420	15,018
Halifax.....	59,539	25,924	33,615	Wake.....	153,262	111,220	42,042
Harnett.....	49,711	37,057	12,654	Warren.....	23,783	7,814	15,969
Haywood.....	39,400	38,607	793	Washington...	13,717	7,783	5,934
Henderson....	33,955	31,938	2,027	Watauga.....	18,486	18,340	146
Hertford.....	22,766	9,022	13,744	Wayne.....	67,980	39,718	28,262
Hoke.....	16,268	6,501	9,767	Wilkes.....	46,643	43,984	2,659
Hyde.....	5,617	3,201	2,416	Wilson.....	57,187	34,531	22,656
Iredell.....	59,978	49,717	10,261	Yadkin.....	23,058	22,004	1,054
Jackson.....	19,205	17,690	1,515	Yancey.....	15,744	15,546	198

TABLE 2. — ESTIMATED POPULATION BY COLOR AND SEX: NORTH CAROLINA, 1936-1956*

YEAR	ALL CLASSES			WHITE			NONWHITE		
	Total	Male	Female	Total	Male	Female	Total	Male	Female
1936	3,400,525	1,690,503	1,710,022	2,427,312	1,215,163	1,212,149	973,213	475,340	497,873
1937	3,432,099	1,705,708	1,726,391	2,453,834	1,227,533	1,226,301	978,285	478,175	500,090
1938	3,475,530	1,727,452	1,748,078	2,490,752	1,245,095	1,245,657	984,778	481,795	502,983
1939	3,531,938	1,755,416	1,776,522	2,536,969	1,268,107	1,268,762	995,059	497,309	507,760
1940	3,571,823	1,772,990	1,798,833	2,567,635	1,281,762	1,285,873	1,003,988	491,228	512,760
1941	3,670,017	1,820,328	1,849,689	2,635,072	1,313,866	1,321,206	1,034,945	505,452	528,493
1942	3,685,373	1,803,364	1,882,009	2,631,738	1,301,208	1,330,530	1,033,635	502,156	531,479
1943	3,693,037	1,789,956	1,903,081	2,637,054	1,281,697	1,355,357	1,045,983	508,259	537,724
1944	3,594,865	1,703,966	1,890,899	2,573,923	1,211,469	1,362,454	1,020,942	492,437	528,445
1945	3,514,297	1,637,662	1,876,635	2,512,722	1,156,203	1,356,519	1,001,575	481,459	520,116
1946	3,640,545	1,780,275	1,860,270	2,606,702	1,277,866	1,328,836	1,033,943	502,409	531,534
1947	3,718,000	1,825,538	1,892,462	2,662,088	1,312,454	1,349,634	1,055,912	513,094	542,828
1948	3,798,000	1,864,818	1,933,182	2,719,368	1,340,694	1,378,674	1,078,632	524,124	554,508
1949	3,854,000	1,897,224	1,956,776	2,766,624	1,363,946	1,402,678	1,097,376	533,278	564,098
1950	4,061,929	2,017,105	2,044,824	2,983,121	1,489,840	1,493,281	1,078,808	527,265	551,543
1951	4,123,218	2,047,620	2,075,598	3,035,057	1,515,850	1,519,207	1,088,161	531,770	556,391
1952	4,172,249	2,072,032	2,100,217	3,076,606	1,536,668	1,539,948	1,095,643	535,374	560,269
1953	4,221,280	2,096,444	2,124,836	3,118,155	1,557,466	1,560,689	1,103,125	538,978	564,147
1954	4,270,311	2,120,866	2,149,455	3,159,704	1,578,274	1,581,430	1,110,607	542,582	568,025
1955	4,319,342	2,145,288	2,174,074	3,201,253	1,599,082	1,602,171	1,118,089	546,186	571,903
1956	4,368,373	2,169,680	2,198,693	3,242,802	1,619,890	1,622,912	1,125,571	549,750	575,781

* 1940 and 1950 enumeration as of April 1; estimates as of July 1.

Source — 1936-1950 — Bureau of the Census.

1951-1956 — Public Health Statistics Section.

ANNUAL REPORT OF MORBIDITY STATISTICS

TABLE 3. — CASES OF REPORTABLE COMMUNICABLE DISEASES BY DISEASE AND YEAR OF REPORT*:

NORTH CAROLINA, 1918-1966

Disease	1918	1919	1920	1921	1922	1923	1924	1925	1926	1927	1928	1929
Amebiasis.....	+	+	+	+	+	+	+	+	+	+	+	+
Anthrax.....	+	+	+	+	+	+	+	+	+	+	+	+
Botulism.....	+	+	+	+	+	+	+	+	+	+	+	+
Cholera.....	+	+	+	+	+	+	+	+	+	+	+	+
Dengue.....	+	+	+	+	+	+	+	+	+	+	+	+
Diphtheria.....	1,366	3,519	3,422	5,136	8,136	4,671	4,095	3,437	3,198	3,034	3,826	4,337
Encephalitis.....	+	+	+	+	+	+	+	+	+	+	+	+
Gastro-enteritis.....	+	+	+	+	+	+	+	+	+	+	+	+
Glanders.....	+	+	+	+	+	+	+	+	+	+	+	+
Infectious jaundice**....	+	+	+	+	+	+	+	+	+	+	+	+
Leprosy.....	+	+	+	+	+	+	+	+	+	+	+	+
Leptospirosis.....	+	+	+	+	+	+	+	+	+	+	+	+
Malaria.....	9,158	5,725	3,621	11,539	2,042	52,066	34,938	1,002	7,952	32,882	60,543	1,309
Measles.....	151	105	96	70	54	46	30	26	24	26	21	88
Meningococcal infections.....	+	+	+	+	+	+	+	+	+	+	+	+
Paratyphoid fever.....	1	26	2	-	-	-	-	-	-	-	-	13
Plague.....	23	42	25	36	30	16	16	79	112	24	51	133
Psittacosis.....	+	+	+	+	+	+	+	+	+	+	+	+
Q-Fever.....	+	+	+	+	+	+	+	+	+	+	+	+
Rabies.....	-	-	-	-	-	-	-	-	-	-	-	2
Rocky Mountain spotted fever.....	864	1,512	1,663	2,585	3,153	2,418	2,255	1,856	2,281	2,638	2,828	3,057
Scarlet fever.....	127	371	218	199	221	150	143	104	92	127	104	141
Septic sore throat.....	963	2,322	2,961	2,513	1,409	3,352	3,845	1,920	1,594	1,702	2,419	589
Smallpox.....	+	+	+	+	+	+	+	+	+	+	+	+
Tetanus.....	20	16	15	5	12	18	5	32	3	2	3	2
Trachoma.....	+	+	+	+	+	+	+	+	+	+	+	+
Trichinosis.....	3,514	2,306	3,295	2,523	1,356	1,861	2,381	2,355	1,921	2,271	2,578	2,858
Tuberculosis, all forms... Typhoid fever.....	-	-	-	-	-	-	-	-	-	-	-	-
Typhus fever, murine.....	3,461	2,956	1,856	2,099	1,950	1,577	1,318	1,192	1,502	1,230	1,073	861
Typhus fever, European... Undulant fever.....	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough.....	11,645	5,669	8,465	9,518	6,805	16,075	12,945	4,296	11,099	19,996	5,002	12,434
Yellow fever.....	+	+	+	+	+	+	+	+	+	+	+	+
Venereal diseases.....	12	7,406	8,037	6,334	8,992	6,792	5,883	5,603	5,348	5,391	4,420	6,659
Gonorrhea.....	12	4,693	5,361	3,475	4,051	3,023	2,561	2,272	2,113	2,016	1,528	2,130
Ophthalmia neonatorum.....	+	+	+	+	+	+	+	+	+	+	+	+
Syphilis.....	12	33	27	19	16	15	5	8	6	5	6	12
Syphilis.....	+	2,084	2,213	2,637	4,671	3,559	3,153	3,161	3,044	3,224	2,846	4,457
Other venereal diseases	+	429	463	222	260	210	169	170	191	151	106	72
Chancroid.....	+	429	463	222	260	210	169	170	191	151	106	72
Granuloma inguinale... Lymphogranuloma venereum.....	+	+	+	+	+	+	+	+	+	+	+	+

*1918-1947 by year of report; 1948-1966 by year of onset, except amebiasis, tuberculosis and the venereal diseases which are by year of report.

**Excludes leptospirosis.

NORTH CAROLINA STATE BOARD OF HEALTH

TABLE 3. -- COMMUNICABLE DISEASES -- Continued

Disease	1930	1931	1932	1933	1934	1935	1936	1937	1938	1939
Amebiasis.....	+	+	+	+	+	+	+	+	+	+
Anthrax.....	-	1	-	-	2	-	-	-	-	-
Botulism.....	+	+	+	+	+	+	+	+	+	+
Cholera.....	-	-	-	-	-	-	-	-	-	-
Dengue.....	+	+	+	+	+	1	1	-	-	-
Diphtheria.....	3,243	3,156	1,895	2,497	2,114	1,720	2,347	2,056	2,442	2,368
Encephalitis.....	+	+	+	+	+	+	+	+	+	+
Gastro-enteritis.....	+	+	+	+	+	+	+	+	+	+
Glanders.....	+	+	+	+	+	+	+	+	+	+
Infectious jaundice**.....	+	+	+	+	+	+	+	+	+	+
Leprosy.....	+	+	+	+	+	+	+	+	+	+
Leptospirosis.....	+	+	+	+	+	+	+	+	+	+
Malaria.....	+	+	+	+	+	+	+	876	636	629
Measles.....	1,376	15,499	13,672	16,197	55,764	10,683	1,395	7,937	49,614	20,031
Meningococcal infections...	153	123	71	66	50	109	196	169	93	59
Paratyphoid fever.....	21	27	16	12	15	26	20	16	18	16
Plague.....	-	-	-	-	-	-	-	-	-	-
Polio-myelitis.....	96	104	54	30	45	675	52	106	50	116
Psittacosis.....	+	+	+	+	+	+	+	+	+	+
Q-Fever.....	+	+	+	+	+	+	+	+	+	+
Rabies.....	2	-	-	1	-	4	3	2	-	1
Rocky Mountain spotted fever.....	-	-	1	27	34	21	32	27	42	41
Scarlet fever.....	3,096	3,461	2,869	3,662	2,952	2,072	1,921	2,073	2,228	2,599
Septic sore throat.....	114	153	142	123	104	116	115	125	148	116
Smallpox.....	556	63	72	35	18	24	19	11	36	15
Tetanus.....	+	+	+	+	+	+	+	+	+	+
Trachoma.....	-	6	-	5	1	6	1	-	-	-
Trichinosis.....	+	+	+	+	+	+	+	+	+	+
Tuberculosis, all forms....	3,201	2,638	2,488	2,524	2,047	1,996	3,008	2,632	2,607	2,366
Tularemia.....	7	3	10	28	14	15	10	13	26	26
Typhoid fever.....	1,000	991	823	684	464	645	518	493	485	343
Typhus fever, murine.....	16	14	24	46	23	51	33	68	81	122
Typhus fever, European....	-	-	-	-	-	-	-	-	-	-
Undulant fever.....	-	-	4	15	19	31	23	26	29	25
Whooping cough.....	10,093	6,992	12,137	7,155	14,299	10,075	1,566	7,782	14,908	9,321
Yellow fever.....	-	-	-	-	-	-	-	-	-	-
Veneral diseases.....	7,670	7,536	6,583	6,781	7,417	7,038	8,365	15,341	23,861	35,121
Gonorrhea.....	2,450	2,298	2,130	2,176	2,164	1,826	2,159	2,894	3,045	3,815
Ophthalmia neonatorum.....	14	12	18	9	14	19	22	17	16	15
Syphilis.....	5,106	5,144	4,365	4,570	5,201	5,189	6,086	12,299	20,714	30,966
Other venereal diseases..	114	94	68	35	52	73	110	148	102	321
Chancroid.....	114	94	68	35	52	73	110	148	102	321
Granuloma inguinale.....	+	+	+	+	+	+	+	+	+	+
Lymphogranuloma venereum.....	+	+	+	+	+	+	+	+	+	+

*1918-1947 by year of report; 1948-1956 by year of onset, except amebiasis, tuberculosis and the venereal diseases which are by year of report.

**Excludes leptospirosis.

ANNUAL REPORT OF MORBIDITY STATISTICS

TABLE 3. — COMMUNICABLE DISEASES — Continued

Disease	1940	1941	1942	1943	1944	1945	1946	1947	1948	1949
Amebiasis.....	+	+	+	+	+	21	19	18	29	91
Anthrax.....	+	1	+	+	+	+	+	+	+	+
Botulism.....	+	+	+	+	+	+	+	+	+	+
Cholera.....	+	+	+	+	+	+	+	+	+	+
Dengue.....	+	+	+	+	+	+	1	+	+	+
Diphtheria.....	1,125	1,629	1,187	801	665	1,475	590	751	485	550
Encephalitis.....	+	+	+	+	+	5	3	5	6	4
Gastro-enteritis.....	+	+	+	+	+	+	+	+	+	+
Glanders.....	+	+	+	+	+	+	+	+	+	+
Infectious jaundice**.....	+	+	+	+	+	+	+	+	+	+
Leprosy.....	+	+	+	+	+	1	+	+	+	+
Leptospirosis.....	+	+	+	+	+	+	+	+	+	+
Malaria.....	629	237	248	183	154	554	369	137	147	53
Measles.....	3,636	27,764	21,581	5,217	27,655	1,194	9,011	4,978	1,353	17,330
Meningococcal infections....	34	46	49	478	303	179	120	96	73	87
Paratyphoid fever.....	3	11	7	6	7	5	6	7	13	8
Plague.....	+	+	+	+	+	+	+	+	+	+
Polionyelitis.....	74	163	82	36	961	159	157	300	2,516	229
Psittacosis.....	+	+	+	+	+	+	1	+	+	+
Q-fever.....	+	+	+	+	+	+	+	+	+	+
Rabies.....	1	+	2	+	1	1	+	2	+	+
Rocky Mountain spotted fever.....	32	20	35	36	59	57	66	88	73	79
Scarlet fever.....	2,442	2,165	2,570	2,854	2,239	3,248	1,530	1,167	1,094	1,793
Septic sore throat.....	88	139	109	201	47	101	51	44	27	45
Smallpox.....	6	4	7	21	4	1	2	2	3	+
Tetanus.....	+	+	+	+	+	+	+	+	+	+
Trachoma.....	8	4	+	1	+	1	+	+	+	+
Trichinosis.....	+	+	+	+	+	+	+	+	+	+
Tuberculosis, all forms.....	2,084	2,425	1,902	1,633	1,804	3,392	3,466	3,591	3,274	3,402
Tularemia.....	12	22	13	14	10	27	45	74	46	38
Typhoid fever.....	238	197	181	111	122	82	54	47	56	53
Typhus fever, murine.....	65	78	100	157	235	159	82	51	43	26
Typhus fever, European.....	+	+	+	+	+	+	+	+	+	+
Undulant fever.....	11	12	9	7	14	15	9	21	16	25
Whooping cough.....	5,500	10,932	5,557	8,408	6,355	5,834	3,391	2,983	1,932	1,988
Yellow fever.....	+	+	+	+	+	+	+	+	+	+
Veneral diseases.....	26,213	23,617	26,995	25,658	21,147	22,040	25,082	23,643	22,990	23,399
Gonorrhea.....	4,616	5,834	9,637	10,870	10,892	13,162	16,032	14,169	14,962	16,173
Ophthalmia neonatorum.....	22	29	17	11	N.A.	N.A.	6	7	3	11
Syphilis.....	21,333	17,560	16,713	14,125	9,804	8,125	9,233	8,724	7,313	6,699
Other venereal diseases...	264	223	635	663	451	753	767	750	655	527
Chancroid.....	264	223	635	663	451	447	513	531	381	332
Granuloma inguinale.....	+	+	+	+	+	75	101	99	98	66
Lymphogranuloma venereum.....	+	+	+	+	+	231	153	120	176	129

*1918-1947 by year of report; 1948-1956 by year of onset, except amebiasis, tuberculosis and the venereal diseases which are by year of report.

**Excludes leptospirosis.

NORTH CAROLINA STATE BOARD OF HEALTH

TABLE 3. -- COMMUNICABLE DISEASES -- Continued

Disease	1950	1951	1952	1953	1954	1955	1956
Amebiasis.....	132	96	44	31	17	14	18
Anthrax.....	-	-	-	1	-	1	7
Botulism.....	-	-	-	1	-	-	-
Cholera.....	-	-	-	-	-	-	-
Dengue.....	-	-	-	-	-	-	-
Diphtheria.....	499	373	202	130	126	85	70
Encephalitis.....	9	9	4	15	47	16	34
Gastro-enteritis.....	-	-	219	486	396	441	277
Glanders.....	-	-	-	-	-	-	-
Infectious jaundice**.....	-	-	675	1,142	807	313	128
Leprosy.....	-	-	1	1	1	1	-
Leptospirosis.....	-	-	-	1	10	1	-
Malaria.....	36	82	305	48	23	18	4
Measles.....	4,964	3,315	4,511	4,984	9,566	1,366	7,630
Meningococcal infections...	116	151	197	189	179	144	96
Paratyphoid fever.....	7	5	4	14	16	14	6
Plague.....	-	-	-	-	-	-	-
Poliovelitis.....	756	314	538	926	732	463	315
Psittacosis.....	-	-	-	-	11	9	75
Q-Fever.....	-	-	-	-	-	-	-
Rabies.....	-	1	-	-	1	1	-
Rocky Mountain spotted fever.....	70	61	38	40	28	43	35
Scarlet fever.....	1,835	2,236	2,222	1,335	2,601	2,104	1,306
Septic sore throat.....	41	29	33	81	86	60	36
Smallpox.....	-	-	-	1	-	-	-
Tetanus.....	-	-	26	18	23	18	13
Trachoma.....	-	-	-	2	-	-	-
Trichinosis.....	-	-	1	2	-	2	9
Tuberculosis, all forms....	3,653	3,105	2,326	2,001	2,013	1,960	1,850
Tularemia.....	25	17	19	15	18	9	16
Typhoid fever.....	58	44	41	47	54	37	23
Typhus fever, murine.....	12	19	12	8	9	5	2
Typhus fever, European.....	-	-	-	-	-	-	-
Undulant fever.....	21	23	21	5	3	2	10
Whooping cough.....	3,352	1,961	471	252	787	1,366	539
Yellow fever.....	-	-	-	-	-	-	-
Veneral diseases.....	20,514	20,251	19,960	19,932	18,608	16,499	17,051
Gonorrhea.....	14,930	15,779	15,895	15,958	14,947	12,731	12,728
Ophthalmia neonatorum.....	8	9	14	7	14	11	17
Syphilis.....	5,146	4,080	3,709	3,632	3,353	3,512	4,107
Other venereal diseases..	438	392	356	352	308	256	216
Chancroid.....	265	253	256	273	233	186	171
Granuloma inguinale.....	82	58	38	45	33	40	28
Lymphogranuloma venereum.....	91	81	62	34	42	30	17

*1918-1947 by year of report; 1948-1956 by year of onset, except amebiasis, tuberculosis and the venereal diseases which are by year of report.

**Excludes leptospirosis.

TABLE 4. — MORBIDITY RATES PER 100,000 POPULATION FOR SELECTED REPORTABLE COMMUNICABLE DISEASES
BY DISEASE AND YEAR OF REPORT*: NORTH CAROLINA, 1941-1956

Disease	1941	1942	1943	1944	1945	1946	1947	1948	1949	1950	1951	1952	1953	1954	1955	1956
Amebiasis.....	✓	✓	✓	✓	0.6	0.5	0.5	0.8	2.4	3.2	2.3	1.1	0.7	0.4	0.3	0.4
Diphtheria.....	44.4	32.4	21.7	18.5	42.0	16.2	20.2	13.3	14.2	12.3	9.0	4.8	3.1	3.0	2.0	1.6
Gastro-enteritis.....	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	5.2	11.5	9.3	10.2	6.3
Infectious jaundice**	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	16.2	27.1	18.9	7.2	2.9
Malaria.....	6.5	6.8	5.0	4.3	15.8	10.1	3.7	3.9	1.4	0.9	2.0	7.3	1.1	0.5	0.4	0.1
Measles.....	756.5	588.8	141.6	769.3	34.0	247.5	133.9	30.9	448.5	122.2	80.4	108.1	118.1	224.0	32.1	174.7
Meningococcal infections	1.3	1.3	13.0	8.6	5.1	3.3	2.6	2.0	2.3	2.9	3.7	4.7	4.5	4.2	3.3	2.2
Poliovulvitis.....	4.6	2.2	1.0	24.0	4.5	4.3	8.1	65.8	5.9	18.6	7.6	12.9	21.9	17.1	10.7	7.2
Scarlet fever.....	58.0	70.1	77.5	62.3	92.4	42.0	31.4	28.9	46.4	46.4	54.2	53.3	31.6	60.9	48.7	27.6
Tuberculosis, all forms.	66.1	51.9	44.3	50.2	96.5	95.2	96.6	86.2	88.0	89.9	75.3	55.7	47.4	47.1	45.1	42.3
Tularemia.....	0.6	0.4	0.4	0.3	0.8	1.2	2.0	1.1	1.0	0.6	0.4	0.5	0.4	0.4	0.2	0.4
Typhoid fever.....	5.4	4.9	3.0	3.4	2.3	1.5	1.3	1.6	1.4	1.4	1.1	1.0	1.1	1.3	0.9	0.5
Whooping cough.....	297.9	151.6	228.3	176.8	166.0	93.1	80.2	52.0	36.2	82.5	47.6	11.3	6.0	18.4	31.6	12.3
Veneral Diseases.....	159.0	262.9	295.1	303.0	374.5	441.7	381.1	393.9	418.6	367.6	382.7	381.0	378.0	350.0	294.7	291.4
Gonorrhea**.....	478.5	456.0	383.5	272.7	231.2	253.6	234.6	192.5	173.4	126.7	99.0	88.9	87.2	78.5	81.3	94.0
Syphilis.....	6.1	17.3	18.0	12.5	21.4	21.1	20.2	17.2	13.6	10.8	9.5	8.5	8.3	7.2	5.9	4.9
Other venereal diseases																

*1941-1947 by year of report; 1948-1956 by year of onset, except amebiasis, tuberculosis and the venereal diseases, which are by year of report.

**Excludes leptospirosis.

***Gonorrhea includes ophthalmia neonatorum.

NORTH CAROLINA STATE BOARD OF HEALTH

TABLE 5. -- CASES OF REPORTABLE COMMUNICABLE DISEASES BY DISEASE AND COUNTY OF RESIDENCE*: NORTH CAROLINA, 1956

Disease	North Carolina	Alamance	Alexander	Alleghany	Anson	Ashe	Avery
Amebiasis.....	18	-	1	-	-	-	-
Anthrax.....	7	-	-	-	-	-	-
Botulism.....	-	-	-	-	-	-	-
Cholera.....	-	-	-	-	-	-	-
Dengue.....	-	-	-	-	-	-	-
Diphtheria.....	70	-	-	-	1	-	-
Encephalitis.....	34	3	-	-	1	1	-
Gastro-enteritis.....	277	2	1	1	-	-	-
Glanders.....	-	-	-	-	-	-	-
Infectious jaundice**.....	128	2	-	-	1	-	-
Leprosy.....	-	-	-	-	-	-	-
Leptospirosis.....	-	-	-	-	-	-	-
Malaria***.....	1	-	-	-	-	-	-
Measles.....	7,630	110	28	16	51	140	11
Meningococcal infections..	96	-	-	-	-	1	1
Paratyphoid fever.....	6	-	-	-	-	-	-
Plague.....	-	-	-	-	-	-	-
Poliomyelitis.....	315	7	-	-	-	3	1
Psittacosis.....	75	-	-	-	3	-	-
Q-fever.....	-	-	-	-	-	-	-
Rabies.....	-	-	-	-	-	-	-
Rocky Mountain spotted fever.....	35	1	-	-	-	-	-
Scarlet fever.....	1,206	28	15	-	3	3	2
Septic sore throat.....	35	-	-	3	1	1	-
Smallpox.....	-	-	-	-	-	-	-
Tetanus.....	13	-	-	-	-	-	-
Trachoma.....	9	-	-	-	-	-	-
Trichinosis.....	-	-	-	-	-	-	-
Tuberculosis, all forms...	1,860	9	4	5	8	9	4
Tularemia.....	16	-	-	-	1	-	-
Typhoid fever.....	23	-	-	-	-	-	-
Typhus fever, murine.....	2	-	-	-	-	-	-
Typhus fever, European...	-	-	-	-	-	-	-
Undulant fever.....	10	-	-	-	-	-	-
Whooping cough.....	539	3	-	-	-	-	1
Yellow fever.....	-	-	-	-	-	-	-
Venereal diseases.....	17,051	198	3	9	87	-	2
Gonorrhea.....	12,728	80	1	7	55	-	1
Ophthalmia neonatorum...	17	-	-	-	-	-	-
Syphilis.....	4,107	117	2	1	32	-	1
Other venereal diseases..	216	1	-	1	-	-	-
Chancroid.....	171	1	-	-	-	-	-
Granuloma inguinale.....	28	-	-	-	-	-	-
Lymphogranuloma venereum.....	17	-	-	1	-	-	-

*Except venereal diseases which are by county of report.

**Excludes leptospirosis.

***Excludes 3 cases of military origin.

ANNUAL REPORT OF MORBIDITY STATISTICS

TABLE 5. — COMMUNICABLE DISEASES — Continued

Disease	Beaufort	Bertie	Bladen	Brunswick	Buncombe	Burke	Cabarrus
Amebiasis.....	1	—	—	—	1	—	—
Anthrax.....	—	—	—	—	—	—	—
Botulism.....	—	—	—	—	—	—	—
Cholera.....	—	—	—	—	—	—	—
Dengue.....	—	—	—	—	—	—	—
Diphtheria.....	—	—	—	1	—	4	1
Encephalitis.....	—	—	—	—	2	1	—
Gastro-enteritis.....	1	1	—	—	5	1	—
Glanders.....	—	—	—	—	—	—	—
Infectious jaundice**....	—	—	3	—	—	1	—
Leprosy.....	—	—	—	—	—	—	—
Leptospirosis.....	—	—	—	—	—	—	—
Malaria***.....	—	—	—	—	—	—	—
Measles.....	5	86	119	9	67	79	—
Meningococcal infections.	—	1	—	1	1	2	—
Paratyphoid fever.....	—	—	—	—	—	—	—
Plague.....	—	—	—	—	—	—	—
Poliomyelitis.....	1	3	—	2	3	5	—
Psittacosis.....	—	—	30	—	—	1	1
Q-fever.....	—	—	—	—	—	—	—
Rabies.....	—	—	—	—	—	—	—
Rocky Mountain spotted fever.....	—	—	1	—	—	1	—
Scarlet fever.....	1	—	2	—	21	10	5
Septic sore throat.....	—	—	—	—	1	—	—
Smallpox.....	—	—	—	—	—	—	—
Tetanus.....	1	—	—	—	—	—	—
Trachoma.....	—	—	—	—	—	—	—
Trichinosis.....	—	—	—	—	—	—	—
Tuberculosis, all forms..	31	4	9	2	124	13	14
Tularemia.....	—	—	—	—	—	—	—
Typhoid fever.....	—	—	—	—	—	—	—
Typhus fever, murine.....	—	—	—	—	—	—	—
Typhus fever, European...	—	—	—	—	—	—	—
Undulant fever.....	—	—	—	—	1	—	—
Whooping cough.....	—	—	10	9	8	3	—
Yellow fever.....	—	—	—	—	—	—	—
Venereal diseases.....	118	17	82	68	216	57	227
Gonorrhea.....	72	9	42	32	177	45	218
Ophthalmia neonatorum..	—	—	—	—	—	—	1
Syphilis.....	46	8	34	36	36	11	9
Other venereal diseases.	—	—	6	—	4	1	—
Chancroid.....	—	—	5	—	2	1	—
Granuloma inguinale....	—	—	—	—	—	—	—
Lymphogranuloma venereum.....	—	—	1	—	—	—	—

*Except venereal diseases which are by county of report.

**Excludes leptospirosis.

***Excludes 3 cases of military origin.

NORTH CAROLINA STATE BOARD OF HEALTH

TABLE 5. -- COMMUNICABLE DISEASES -- Continued

Disease	Caldwell	Camden	Carteret	Caswell	Catawba	Chatham	Cherokee
Amebiasis.....	-	-	-	-	1	-	-
Anthrax.....	-	-	-	-	-	-	-
Betulism.....	-	-	-	-	-	-	-
Cholera.....	-	-	-	-	-	-	-
Dengue.....	-	-	-	-	-	-	-
Diphtheria.....	-	-	-	-	-	1	-
Encephalitis.....	2	-	-	-	1	-	-
Gastro-enteritis.....	2	-	-	-	-	4	-
Glanders.....	-	-	-	-	-	-	-
Infectious jaundice**.....	-	-	-	-	1	1	1
Leprosy.....	-	-	-	-	-	-	-
Leptospirosis.....	-	-	-	-	-	-	-
Malaria***.....	-	-	-	-	-	-	-
Measles.....	3	11	11	-	28	29	49
Meningococcal infections.....	-	-	1	-	-	-	-
Paratyphoid fever.....	-	-	-	-	-	-	-
Plague.....	-	-	-	-	-	-	-
Polio-myelitis.....	6	-	-	2	1	2	2
Psittacosis.....	-	-	-	-	1	-	-
Q-fever.....	-	-	-	-	-	-	-
Rabies.....	-	-	-	-	-	-	-
Rocky Mountain spotted fever.....	-	-	-	-	-	-	1
Scarlet fever.....	7	2	1	1	18	1	1
Septic sore throat.....	-	-	-	4	-	-	1
Smallpox.....	-	-	-	-	-	-	-
Tetanus.....	-	-	1	-	-	-	-
Trachoma.....	-	-	-	-	-	-	-
Trichinosis.....	-	-	-	-	-	-	-
Tuberculosis, all forms.....	10	4	8	4	12	11	14
Tularemia.....	-	-	-	-	-	-	-
Typhoid fever.....	-	-	-	-	-	-	-
Typhus fever, murine.....	-	-	-	-	-	-	-
Typhus fever, European.....	-	-	-	-	-	-	-
Undulant fever.....	-	-	-	-	-	-	-
Whooping cough.....	3	-	-	-	-	6	5
Yellow fever.....	-	-	-	-	-	-	-
Veneral diseases.....	58	36	178	25	72	41	3
Gonorrhea.....	49	32	10	16	50	7	2
Ophthalmia neonatorum.....	-	-	-	-	-	-	-
Syphilis.....	9	4	168	9	20	34	1
Other venereal diseases.....	-	-	-	-	2	-	-
Chancroid.....	-	-	-	-	2	-	-
Granuloma inguinale.....	-	-	-	-	-	-	-
Lymphogranuloma venereum.....	-	-	-	-	-	-	-

*Except venereal diseases which are by county of report.

**Excludes leptospirosis.

***Excludes 3 cases of military origin.

ANNUAL REPORT OF MORBIDITY STATISTICS

TABLE 5. — COMMUNICABLE DISEASES — Continued

Disease	Chowan	Clay	Cleveland	Columbus	Craven	Cumberland	Currituck
Amebiasis.....	—	—	—	—	1	1	—
Anthrax.....	—	—	—	—	—	—	—
Botulism.....	—	—	—	—	—	—	—
Cholera.....	—	—	—	—	—	—	—
Dengue.....	—	—	—	—	—	—	—
Diphtheria.....	—	—	—	3	1	1	—
Encephalitis.....	—	—	1	—	—	—	—
Gastro-enteritis.....	—	3	2	6	—	3	1
Glanders.....	—	—	—	—	—	—	—
Infectious jaundice**.....	—	1	—	1	—	1	—
Leprosy.....	—	—	—	—	—	—	—
Leptospirosis.....	—	—	—	—	—	—	—
Malaria***.....	—	—	—	—	—	—	—
Measles.....	53	2	97	5	41	458	17
Meningococcal infections..	—	—	2	—	1	2	—
Paratyphoid fever.....	—	—	—	—	—	1	—
Plague.....	—	—	—	—	—	—	—
Polio-myelitis.....	4	—	7	2	4	6	—
Psittacosis.....	—	—	2	3	—	—	—
Q-fever.....	—	—	—	—	—	—	—
Rabies.....	—	—	—	—	—	—	—
Rocky Mountain spotted fever.....	—	—	—	1	—	—	—
Scarlet fever.....	6	1	65	3	5	11	7
Septic sore throat.....	—	—	5	—	—	—	—
Smallpox.....	—	—	—	—	—	—	—
Tetanus.....	—	—	—	—	—	1	—
Trachoma.....	—	—	—	—	—	—	—
Trichinosis.....	—	—	—	—	—	—	—
Tuberculosis, all forms...	5	1	15	30	13	44	—
Tularemia.....	—	—	1	1	—	—	—
Typhoid fever.....	—	—	—	—	—	—	—
Typhus fever, murine.....	—	—	—	—	—	—	—
Typhus fever, European...	—	—	—	—	—	—	—
Undulant fever.....	—	—	—	—	—	—	—
Whooping cough.....	—	4	14	6	1	4	—
Yellow fever.....	—	—	—	—	—	—	—
Venereal diseases.....	19	1	158	310	392	1,238	52
Gonorrhea.....	15	—	110	219	334	1,197	33
Ophthalmia neonatorum...	—	—	—	—	—	—	—
Syphilis.....	4	1	45	87	54	96	19
Other venereal diseases..	—	—	3	4	4	5	—
Chancroid.....	—	—	3	4	—	3	—
Granuloma inguinale.....	—	—	—	—	4	2	—
Lymphogranuloma venereum.....	—	—	—	—	—	—	—

*Except venereal diseases which are by county of report.

**Excludes leptospirosis.

***Excludes 3 cases of military origin.

NORTH CAROLINA STATE BOARD OF HEALTH

TABLE 5. — COMMUNICABLE DISEASES — Continued

Disease	Dare	Davidson	Davie	Duplin	Durham	Edge- combe	Forsyth
Amebiasis.....	—	—	—	—	—	—	—
Anthrax.....	—	—	—	—	—	—	—
Botulism.....	—	—	—	—	—	—	—
Cholera.....	—	—	—	—	—	—	—
Dengue.....	—	—	—	—	—	—	—
Diphtheria.....	—	—	—	1	1	—	—
Encephalitis.....	—	—	—	—	—	1	1
Gastro-enteritis.....	1	19	—	—	5	8	9
Glanders.....	—	—	—	—	—	—	—
Infectious jaundice**...	—	5	—	—	4	—	1
Leprosy.....	—	—	—	—	—	—	—
Leptospirosis.....	—	—	—	—	—	—	—
Malaria***.....	—	—	—	—	—	—	—
Measles.....	5	7	23	154	200	26	137
Meningococcal infections	—	2	—	1	—	—	1
Paratyphoid fever.....	—	—	—	—	2	—	—
Plague.....	—	—	—	—	—	—	—
Poliomyelitis.....	—	3	—	1	48	9	1
Psittacosis.....	—	—	—	—	1	6	—
Q-fever.....	—	—	—	—	—	—	—
Rabies.....	—	—	—	—	—	—	—
Rocky Mountain spotted fever.....	—	1	—	—	—	1	—
Scarlet fever.....	3	14	—	1	37	4	89
Septic sore throat.....	1	—	—	—	1	—	4
Smallpox.....	—	—	—	—	—	—	—
Tetanus.....	—	—	—	—	—	—	1
Trachoma.....	—	—	—	—	—	—	—
Trichinosis.....	—	—	—	—	—	—	—
Tuberculosis, all forms.	4	27	1	22	37	41	73
Tularemia.....	—	2	—	—	1	2	—
Typhoid fever.....	—	—	—	—	—	—	1
Typhus fever, murine....	—	—	—	—	—	—	—
Typhus fever, European..	—	—	—	—	—	—	—
Undulant fever.....	—	—	—	—	—	—	—
Whooping cough.....	—	2	—	9	17	2	6
Yellow fever.....	—	—	—	—	—	—	—
Venereal diseases.....	13	41	12	74	1,390	71	953
Gonorrhea.....	11	21	2	34	1,292	57	890
Ophthalmia neonatorum.	—	—	—	—	—	—	—
Syphilis.....	—	20	10	39	68	14	54
Other venereal diseases	2	—	—	1	30	—	9
Chancroid.....	1	—	—	—	27	—	9
Granuloma inguinale...	—	—	—	1	2	—	—
Lymphogranuloma venereum.....	1	—	—	—	1	—	—

*Except venereal diseases which are by county of report.

**Excludes leptospirosis.

***Excludes 3 cases of military origin.

ANNUAL REPORT OF MORBIDITY STATISTICS

TABLE 5. — COMMUNICABLE DISEASES — Continued

Disease	Franklin	Gaston	Gates	Graham	Granville	Greene	Guilford
Amebiasis.....	-	-	-	-	-	-	1
Anthrax.....	-	-	-	-	-	-	-
Botulism.....	-	-	-	-	-	-	-
Cholera.....	-	-	-	-	-	-	-
Dengue.....	-	-	-	-	-	-	-
Diphtheria.....	-	-	-	-	2	-	2
Encephalitis.....	1	2	-	-	-	-	-
Gastro-enteritis.....	3	4	1	-	2	1	6
Glanders.....	-	-	-	-	-	-	-
Infectious jaundice**.....	-	6	-	3	6	-	2
Leprosy.....	-	-	-	-	-	-	-
Leptospirosis.....	-	-	-	-	-	-	-
Malaria***.....	-	-	-	-	-	-	-
Measles.....	2	104	88	-	138	-	505
Meningococcal infections..	-	3	-	-	1	-	3
Paratyphoid fever.....	-	-	-	-	-	-	-
Plague.....	-	-	-	-	-	-	1
Polio-myelitis.....	1	5	-	-	9	1	14
Psittacosis.....	-	4	-	-	-	-	-
Q-fever.....	-	-	-	-	-	-	-
Rabies.....	-	-	-	-	-	-	-
Rocky Mountain spotted fever.....	1	-	-	-	-	-	3
Scarlet fever.....	1	21	1	1	1	-	178
Septic sore throat.....	-	-	-	-	-	-	1
Smallpox.....	-	-	-	-	-	-	-
Tetanus.....	-	-	-	-	-	-	-
Trachoma.....	-	-	-	-	-	-	-
Trichinosis.....	-	-	-	-	-	-	-
Tuberculosis, all forms...	15	42	5	2	14	18	56
Tularemia.....	-	-	-	-	-	-	1
Typhoid fever.....	1	1	-	-	-	-	-
Typhus fever, murine.....	-	-	-	-	-	-	-
Typhus fever, European....	-	-	-	-	-	-	-
Undulant fever.....	1	-	-	-	-	-	-
Whooping cough.....	2	32	4	13	21	3	8
Yellow fever.....	-	-	-	-	-	-	-
Veneral diseases.....	69	202	7	-	100	51	1,273
Gonorrhea.....	54	165	2	-	79	32	743
Ophthalmia neonatorum...	-	-	-	-	-	-	-
Syphilis.....	15	37	5	-	21	19	530
Other venereal diseases..	-	-	-	-	-	-	10
Chancroid.....	-	-	-	-	-	-	10
Granuloma inguinale.....	-	-	-	-	-	-	-
Lymphogranuloma venereum.....	-	-	-	-	-	-	-

*Except venereal diseases which are by county of report.

**Excludes leptospirosis.

***Excludes 3 cases of military origin.

NORTH CAROLINA STATE BOARD OF HEALTH

TABLE 5. — COMMUNICABLE DISEASES — Continued

Disease	Halifax	Harnett	Haywood	Henderson	Hertford	Hoke	Hyde
Amebiasis.....	1	-	1	-	-	-	-
Anthrax.....	-	-	-	-	-	-	-
Botulism.....	-	-	-	-	-	-	-
Cholera.....	-	-	-	-	-	-	-
Dengue.....	-	-	-	-	-	-	-
Diphtheria.....	-	-	1	2	-	6	-
Encephalitis.....	-	-	-	-	1	-	-
Gastro-enteritis.....	2	1	1	-	1	2	-
Glanders.....	-	-	-	-	-	-	-
Infectious jaundice**...	3	-	-	1	-	-	-
Leprosy.....	-	-	-	-	-	-	-
Leptospirosis.....	-	-	-	-	-	-	-
Malaria***	-	-	-	-	-	-	-
Measles.....	82	99	63	2	-	-	1
Meningococcal infections	2	-	1	1	-	-	-
Paratyphoid fever.....	-	-	-	-	-	-	-
Plague.....	-	-	-	-	-	-	-
Polio-myelitis.....	10	4	2	1	1	-	-
Psittacosis.....	-	-	1	-	-	-	-
Q-fever.....	-	-	-	-	-	-	-
Rabies.....	-	-	-	-	-	-	-
Rocky Mountain spotted fever.....	-	1	-	-	2	1	-
Scarlet fever.....	7	2	24	6	3	11	-
Septic sore throat.....	1	-	-	-	-	-	-
Smallpox.....	-	-	-	-	-	-	-
Tetanus.....	-	-	-	1	-	-	-
Trachoma.....	-	-	-	-	-	-	-
Trichinosis.....	-	-	-	-	-	-	-
Tuberculosis, all forms.	49	26	26	23	22	5	3
Tularemia.....	1	-	-	-	-	-	-
Typhoid fever.....	2	-	-	-	-	-	-
Typhus fever, murine....	-	-	-	-	-	-	-
Typhus fever, European..	-	-	-	-	-	-	-
Undulant fever.....	-	-	-	-	-	-	-
Whooping cough.....	1	1	5	2	-	1	4
Yellow fever.....	-	-	-	-	-	-	-
Veneral diseases.....	172	273	23	72	55	20	25
Gonorrhea.....	27	251	21	42	12	18	24
Ophthalmia neonatorum.	-	-	-	1	-	-	-
Syphilis.....	144	21	2	30	43	2	1
Other venereal diseases	1	1	-	-	-	-	-
Chancroid.....	-	-	-	-	-	-	-
Granuloma inguinale...	-	1	-	-	-	-	-
Lymphogranuloma venereum.....	1	-	-	-	-	-	-

*Except venereal diseases which are by county of report.

**Excludes leptospirosis.

***Excludes 3 cases of military origin.

ANNUAL REPORT OF MORBIDITY STATISTICS

TABLE 5. — COMMUNICABLE DISEASES — Continued

Disease	Iredell	Jackson	Johnston	Jones	Lee	Lenoir	Lincoln
Amebiasis.....	—	3	—	—	—	—	—
Anthrax.....	—	—	—	—	—	—	—
Botulism.....	—	—	—	—	—	—	—
Cholera.....	—	—	—	—	—	—	—
Dengue.....	—	—	—	—	—	—	—
Diphtheria.....	—	—	1	—	—	5	—
Encephalitis.....	—	—	1	—	—	1	—
Gastro-enteritis.....	5	—	3	—	3	2	—
Glanders.....	—	—	—	—	—	—	—
Infectious jaundice**.....	4	7	—	2	—	13	—
Leprosy.....	—	—	—	—	—	—	—
Leptospirosis.....	—	—	—	—	—	—	—
Malaria***.....	—	—	—	—	—	—	—
Measles.....	129	10	9	2	32	70	1
Meningococcal infections.....	2	—	2	—	—	3	1
Paratyphoid fever.....	—	—	—	—	—	—	—
Plague.....	—	—	—	—	—	—	—
Polio-myelitis.....	1	4	5	—	6	5	—
Psittacosis.....	—	—	—	—	—	—	—
Q-fever.....	—	—	—	—	—	—	—
Rabies.....	—	—	—	—	—	—	—
Rocky Mountain spotted fever.....	1	—	—	—	1	1	—
Scarlet fever.....	45	—	1	—	6	3	6
Septic sore throat.....	1	—	—	—	—	—	—
Smallpox.....	—	—	—	—	—	—	—
Tetanus.....	—	—	—	—	—	1	—
Trachoma.....	—	—	—	—	—	—	—
Trichinosis.....	—	—	—	—	—	—	—
Tuberculosis, all forms.....	11	5	34	6	10	22	4
Tularemia.....	1	—	—	—	—	—	—
Typhoid fever.....	—	—	—	—	—	1	—
Typhus fever, murine.....	—	—	—	—	—	—	—
Typhus fever, European.....	—	—	—	—	—	—	—
Undulant fever.....	—	—	—	—	—	1	2
Whooping cough.....	2	1	1	2	12	—	—
Yellow fever.....	—	—	—	—	—	—	—
Venereal diseases.....	42	3	49	23	95	461	5
Gonorrhea.....	12	2	28	15	31	227	2
Ophthalmia neonatorum.....	—	—	—	—	—	2	—
Syphilis.....	30	1	21	7	64	230	3
Other venereal diseases.....	—	—	—	1	—	4	—
Chancroid.....	—	—	—	1	—	3	—
Granuloma inguinale.....	—	—	—	—	—	1	—
Lymphogranuloma venereum.....	—	—	—	—	—	—	—

*Except venereal diseases which are by county of report.

**Excludes Leptospirosis.

***Excludes 3 cases of military origin.

NORTH CAROLINA STATE BOARD OF HEALTH

TABLE 5. — COMMUNICABLE DISEASES — Continued

Disease	McDowell	Macon	Madison	Martin	Mecklen- burg	Mitchell	Mont- gomery
Amebiasis.....	-	4	-	-	-	-	-
Anthrax.....	-	-	-	-	-	-	-
Botulism.....	-	-	-	-	-	-	-
Cholera.....	-	-	-	-	-	-	-
Dengue.....	-	-	-	-	-	-	-
Diphtheria.....	-	-	-	-	1	-	-
Encephalitis.....	1	-	-	-	2	-	-
Gastro-enteritis.....	1	-	-	5	13	-	-
Glanders.....	-	-	-	-	-	-	-
Infectious jaundice**...	2	-	2	-	3	-	1
Leprosy.....	-	-	-	-	-	-	-
Leptospirosis.....	-	-	-	-	-	-	-
Malaria***.....	-	-	-	-	-	-	-
Measles.....	25	-	8	2	1,645	44	5
Meningococcal infections	-	-	-	-	3	1	1
Paratyphoid fever.....	-	-	-	-	-	-	-
Plague.....	-	-	-	-	-	-	-
Polio-myelitis.....	-	-	-	4	6	-	1
Psittacosis.....	-	-	-	1	1	-	-
Q-fever.....	-	-	-	-	-	-	-
Rabies.....	-	-	-	-	-	-	-
Rocky Mountain spotted fever.....	-	-	-	-	3	-	1
Scarlet fever.....	4	-	2	1	53	2	14
Septic sore throat.....	-	-	-	-	5	-	-
Smallpox.....	-	-	-	-	-	-	-
Tetanus.....	-	-	-	-	3	-	-
Trachoma.....	-	-	-	-	-	-	-
Trichinosis.....	-	-	-	9	-	-	-
Tuberculosis, all forms.	3	12	4	21	83	6	11
Tularemia.....	-	-	-	-	1	-	-
Typhoid fever.....	-	-	-	-	4	-	-
Typhus fever, murine....	-	-	-	-	-	-	-
Typhus fever, European..	-	-	-	-	-	-	-
Undulant fever.....	-	-	-	1	-	-	-
Whooping cough.....	-	-	1	-	23	1	4
Yellow fever.....	-	-	-	-	-	-	-
Venereal diseases.....	43	2	11	77	1,892	5	23
Gonorrhea.....	30	1	9	53	1,714	4	19
Ophthalmia neonatorum.	1	-	-	-	6	-	-
Syphilis.....	12	1	2	24	140	1	4
Other venereal diseases	1	-	-	-	38	-	-
Chancroid.....	1	-	-	-	33	-	-
Granuloma inguinale...	-	-	-	-	4	-	-
Lymphogranuloma venereum.....	-	-	-	-	1	-	-

*Except venereal diseases which are by county of report.

**Excludes Leptospirosis.

***Excludes 3 cases of military origin.

ANNUAL REPORT OF MORBIDITY STATISTICS

TABLE 5. — COMMUNICABLE DISEASES — Continued

Disease	Moore	Nash	New Hanover	North- ampton	Onslow	Orange	Pamlico
Amebiasis.....	—	—	1	—	—	—	—
Anthrax.....	—	—	—	—	—	—	—
Botulism.....	—	—	—	—	—	—	—
Cholera.....	—	—	—	—	—	—	—
Dengue.....	—	—	—	—	—	—	—
Diphtheria.....	—	1	3	—	—	1	—
Encephalitis.....	—	—	1	—	1	—	—
Gastro-enteritis.....	5	3	1	—	16	9	1
Glanders.....	—	—	—	—	—	—	—
Infectious jaundice**.....	4	—	—	—	1	4	1
Leprosy.....	—	—	—	—	—	—	—
Leptospirosis.....	—	—	—	—	—	—	—
Malaria***.....	—	—	—	—	—	—	—
Measles.....	85	64	84	9	600	40	—
Meningococcal infections..	—	2	5	—	3	1	—
Paratyphoid fever.....	1	—	—	—	—	1	—
Plague.....	—	—	—	—	—	—	—
Polioarvelitis.....	3	2	1	4	—	7	—
Psittacosis.....	—	—	—	—	—	—	—
Q-fever.....	—	—	—	—	—	—	—
Rabies.....	—	—	—	—	—	—	—
Rocky Mountain spotted fever.....	1	—	—	—	—	1	—
Scarlet fever.....	1	5	19	1	3	3	5
Septic sore throat.....	—	—	—	—	—	—	—
Smallpox.....	—	—	—	—	—	—	—
Tetanus.....	—	—	1	—	—	—	—
Trachoma.....	—	—	—	—	—	—	—
Trichinosis.....	—	—	—	—	—	—	—
Tuberculosis, all forms..	12	38	39	20	25	13	6
Tularemia.....	—	—	—	—	1	—	—
Typhoid fever.....	—	—	2	—	—	—	—
Typhus fever, murine.....	—	—	—	—	—	—	—
Typhus fever, European...	—	—	—	—	—	—	—
Undulant fever.....	—	1	—	—	—	—	—
Whooping cough.....	15	3	13	—	—	1	—
Yellow fever.....	—	—	—	—	—	—	—
Venereal diseases.....	105	315	1,181	76	542	53	19
Gonorrhea.....	55	261	876	68	473	45	4
Ophthalmia neonatorum...	—	—	—	—	—	1	1
Syphilis.....	50	52	267	8	62	8	15
Other venereal diseases..	—	2	38	—	7	—	—
Chancroid.....	—	1	29	—	4	—	—
Granuloma inguinale.....	—	—	4	—	1	—	—
Lymphogranuloma venereum.....	—	1	5	—	2	—	—

*Except venereal diseases which are by county of report.

**Excludes leptospirosis.

***Excludes 3 cases of military origin.

NORTH CAROLINA STATE BOARD OF HEALTH

TABLE 5.— COMMUNICABLE DISEASES — Continued

Disease	Pasquotank	Pender	Per- quimans	Person	Pitt	Polk	Randolph
Amebiasis.....	-	-	-	-	-	-	-
Anthrax.....	-	-	-	-	-	-	-
Botulism.....	-	-	-	-	-	-	-
Cholera.....	-	-	-	-	-	-	-
Dengue.....	-	-	-	-	-	-	-
Diphtheria.....	-	-	-	-	9	-	-
Encephalitis.....	-	-	-	-	1	-	1
Gastro-enteritis.....	-	6	-	2	19	-	2
Glanders.....	-	-	-	-	-	-	-
Infectious jaundice**.....	4	3	-	1	4	1	1
Leprosy.....	-	-	-	-	-	-	-
Leptospirosis.....	-	-	-	-	-	-	-
Malaria***.....	97	16	29	68	275	12	9
Measles.....	-	-	2	-	2	-	1
Meningococcal infections..	-	-	-	-	-	-	-
Paratyphoid fever.....	-	-	-	-	-	-	-
Plague.....	-	-	-	-	-	-	-
Polio-myelitis.....	1	2	-	2	16	-	7
Psittacosis.....	-	-	-	-	16	-	-
Q-fever.....	-	-	-	-	-	-	-
Rabies.....	-	-	-	-	-	-	-
Rocky Mountain spotted fever.....	-	-	-	-	-	-	1
Scarlet fever.....	26	1	55	-	10	1	32
Septic sore throat.....	4	-	4	-	-	-	-
Smallpox.....	-	-	-	-	-	-	-
Tetanus.....	-	-	-	-	-	-	-
Trachoma.....	-	-	-	-	-	-	-
Trichinosis.....	-	-	-	-	-	-	-
Tuberculosis, all forms...	15	6	6	27	55	3	16
Tularemia.....	-	-	-	-	-	-	1
Typhoid fever.....	1	-	-	-	1	-	-
Typhus fever, murine...	-	-	-	-	-	-	-
Typhus fever, European...	-	-	-	-	-	-	-
Undulant fever.....	-	-	1	-	-	-	-
Whooping cough.....	-	4	-	-	19	1	3
Yellow fever.....	-	-	-	-	-	-	-
Veneral diseases.....	196	63	19	30	464	13	55
Gonorrhea.....	132	38	19	23	315	13	48
Ophthalmia neonatorum...	-	-	-	-	3	-	-
Syphilis.....	64	25	-	7	146	-	7
Other venereal diseases..	-	-	-	-	3	-	-
Chancroid.....	-	-	-	-	2	-	-
Granuloma inguinale....	-	-	-	-	1	-	-
Lymphogranuloma venereum.....	-	-	-	-	-	-	-

*Except venereal diseases which are by county of report.

**Excludes leptospirosis.

***Excludes 3 cases of military origin.

ANNUAL REPORT OF MORBIDITY STATISTICS

TABLE 5. — COMMUNICABLE DISEASES — Continued

Disease	Richmond	Robeson	Rocking- ham	Rowan	Ruther- ford	Sampson	Scotland	Stanly
Amebiasis.....	-	-	-	-	-	-	-	-
Anthrax.....	-	-	-	-	-	-	-	-
Botulism.....	-	-	-	-	-	-	-	-
Cholera.....	-	-	-	-	-	-	-	-
Dengue.....	-	-	-	-	-	-	-	-
Diphtheria.....	1	3	2	-	-	-	-	1
Encephalitis.....	2	-	-	-	1	-	-	-
Gastro-enteritis.....	3	9	1	3	-	1	4	1
Glanders.....	-	-	-	-	-	-	-	-
Infectious jaundice***	1	3	4	-	1	-	-	-
Leprosy.....	-	-	-	-	-	-	-	-
Leptospirosis.....	-	-	-	-	-	-	-	-
Malaria**.....	-	-	-	-	-	-	-	-
Measles.....	67	174	53	44	57	5	11	12
Meningococcal infections	1	3	-	1	2	3	3	-
Paratyphoid fever.....	-	-	-	-	-	-	-	-
Plague.....	-	-	-	-	-	-	-	-
Polio-myelitis.....	1	3	4	1	5	2	2	2
Psittacosis.....	-	1	-	1	-	-	-	-
Q-fever.....	-	-	-	-	-	-	-	-
Rabies.....	-	-	-	-	-	-	-	-
Rocky Mountain spotted fever.....	1	1	-	1	-	4	-	2
Scarlet fever.....	8	27	7	2	48	10	14	21
Septic sore throat.....	-	-	-	-	-	-	-	-
Smallpox.....	-	-	-	-	-	-	-	-
Tetanus.....	1	1	-	-	-	-	-	-
Trachoma.....	-	-	-	-	-	-	-	-
Trichinosis.....	-	-	-	-	-	-	-	-
Tuberculosis, all forms.	11	31	27	10	18	27	16	23
Tularemia.....	1	-	-	1	-	-	-	-
Typhoid fever.....	1	-	-	2	-	-	-	1
Typhus fever, murine....	-	-	-	-	-	-	-	-
Typhus fever, European..	-	-	-	-	-	-	-	-
Undulant fever.....	-	-	-	-	-	2	-	-
Whooping cough.....	9	63	11	1	18	1	19	2
Yellow fever.....	-	-	-	-	-	-	-	-
Veneral diseases.....	24	362	102	101	93	39	126	32
Gonorrhoea.....	7	165	63	59	80	24	70	29
Ophthalmia neonatorum..	-	-	-	-	-	-	-	-
Syphilis.....	15	192	39	41	13	15	56	3
Other venereal diseases	2	5	-	1	-	-	-	-
Chancroid.....	-	4	-	-	-	-	-	-
Granuloma inguinale....	-	1	-	1	-	-	-	-
Lymphogranuloma venereum.....	-	-	-	-	-	-	-	-

*Except venereal diseases which are by county of report.

**Excludes leptospirosis.

***Excludes 3 cases of military origin.

NORTH CAROLINA STATE BOARD OF HEALTH

TABLE 5. — COMMUNICABLE DISEASES — Continued

Disease	Stokes	Surry	Swain	Trans- sylvania	Tyrrell	Union	Vance	Wake
Amebiasis.....	-	-	-	-	-	-	-	1
Anthrax.....	-	-	-	-	-	7	-	-
Botulism.....	-	-	-	-	-	-	-	-
Cholera.....	-	-	-	-	-	-	-	-
Dengue.....	-	-	-	-	-	-	-	-
Diphtheria.....	-	-	-	-	-	1	-	3
Encephalitis.....	-	-	-	-	-	-	-	1
Gastro-enteritis.....	1	5	-	-	-	-	3	36
Glanders.....	-	-	-	-	-	-	-	-
Infectious jaundice**..	1	2	-	-	-	1	-	3
Leprosy.....	-	-	-	-	-	-	-	-
Leptospirosis.....	-	-	-	-	-	-	-	-
Malaria***	-	-	-	-	-	-	-	-
Measles.....	5	23	3	2	28	20	8	301
Meningococcal infections	-	6	2	3	-	-	3	4
Paratyphoid fever.....	-	-	-	-	-	-	-	-
Plague.....	-	-	-	-	-	-	-	-
Poliovmyelitis.....	-	-	-	2	1	1	5	23
Psittacosis.....	-	-	-	-	-	-	-	1
Q-fever.....	-	-	-	-	-	-	-	-
Rabies.....	-	-	-	-	-	-	-	-
Rocky Mountain spotted fever.....	-	-	-	-	-	-	-	-
Scarlet fever.....	8	33	8	-	2	1	3	47
Septic sore throat.....	-	-	-	-	-	-	1	-
Smallpox.....	-	-	-	-	-	-	-	-
Tetanus.....	-	-	-	-	-	-	1	-
Trachoma.....	-	-	-	-	-	-	-	-
Trichinosis.....	-	-	-	-	-	-	-	-
Tuberculosis, all forms.	11	12	4	4	-	7	17	56
Tularemia.....	-	-	-	-	-	-	-	-
Typhoid fever.....	-	1	-	-	-	-	1	-
Typhus fever, murine....	-	-	-	2	-	-	-	-
Typhus fever, European..	-	-	-	-	-	-	-	-
Undulant fever.....	-	-	-	-	-	-	-	-
Whooping cough.....	-	14	1	-	-	2	-	72
Yellow fever.....	-	-	-	-	-	-	-	-
Veneral diseases.....	39	81	-	8	14	66	251	591
Gonorrhea.....	35	79	-	6	7	45	214	344
Ophthalmia neonatorum.	-	-	-	-	-	-	-	1
Syphilis.....	4	2	-	2	7	21	36	245
Other venereal diseases	-	-	-	-	-	-	1	2
Chancroid.....	-	-	-	-	-	-	1	2
Granuloma inguinale...	-	-	-	-	-	-	-	-
Lymphogranuloma venereum.....	-	-	-	-	-	-	-	-

*Except venereal diseases which are by county of report.

**Excludes leptospirosis.

***Excludes 3 cases of military origin.

ANNUAL REPORT OF MORBIDITY STATISTICS

TABLE 5. — COMMUNICABLE DISEASES — Continued

Disease	Warren	Washington	Watauga	Wayne	Wilkes	Wilson	Yadkin	Yancey
Amebiasis.....	—	—	—	—	—	—	—	—
Anthrax.....	—	—	—	—	—	—	—	—
Botulism.....	—	—	—	—	—	—	—	—
Cholera.....	—	—	—	—	—	—	—	—
Dengue.....	—	—	—	—	—	—	—	—
Diphtheria.....	—	—	—	9	—	—	1	—
Encephalitis.....	—	—	1	1	—	—	—	1
Gastro-enteritis.....	1	—	11	2	1	—	—	—
Glanders.....	—	—	—	—	—	—	—	—
Infectious jaundice**...	1	—	8	—	1	—	—	—
Leprosy.....	—	—	—	—	—	—	—	—
Leptospirosis.....	—	—	—	—	—	—	—	—
Malaria***.....	—	—	—	—	—	1	—	—
Measles.....	80	7	78	33	16	52	18	2
Meningococcal infections	1	—	1	1	4	1	—	—
Paratyphoid fever.....	—	—	—	—	—	—	—	—
Plague.....	—	—	—	—	—	—	—	—
Polymyelitis.....	1	1	4	7	1	1	—	—
Psittacosis.....	—	—	—	1	—	—	—	—
Q-fever.....	—	—	—	—	—	—	—	—
Rabies.....	—	—	—	—	—	—	—	—
Rocky Mountain spotted fever.....	—	—	—	—	—	—	—	—
Scarlet fever.....	1	—	—	11	7	5	28	1
Septic sore throat.....	—	—	1	—	—	—	—	—
Smallpox.....	—	—	—	—	—	—	—	—
Tetanus.....	—	—	—	—	—	—	—	—
Trachoma.....	—	—	—	—	—	—	—	—
Trichinosis.....	—	—	—	—	—	—	—	—
Tuberculosis, all forms.	11	10	13	40	12	40	6	9
Tularemia.....	—	—	—	—	—	—	—	—
Typhoid fever.....	—	—	—	—	—	—	—	3
Typhus fever, murine.....	—	—	—	—	—	—	—	—
Typhus fever, European..	—	—	—	—	—	—	—	—
Undulant fever.....	—	—	—	—	—	—	—	—
Whooping cough.....	—	2	1	1	—	3	3	—
Yellow fever.....	—	—	—	—	—	—	—	—
Veneral diseases.....	81	76	2	316	7	305	5	5
Gonorrhea.....	65	18	—	236	6	123	1	5
Ophthalmia neonatorum.	—	—	—	—	—	—	—	—
Syphilis.....	16	58	2	67	1	69	4	—
Other venereal diseases	—	—	—	13	—	13	—	—
Chancroid.....	—	—	—	7	—	9	—	—
Granuloma inguinale...	—	—	—	5	—	2	—	—
Lymphogranuloma venereum.....	—	—	—	1	—	2	—	—

*Except venereal diseases which are by county of report.

**Excludes leptospirosis.

***Excludes 3 cases of military origin.

TABLE 6. -- CASES OF REPORTABLE COMMUNICABLE DISEASES BY DISEASE AND MONTH OF ONSET*: NORTH CAROLINA, 1936

Disease	Total	January	February	March	April	May	June	July	August	September	October	November	December	Not Stated
Amebiasis.....	19	4	1	—	—	3	3	2	—	—	1	4	—	—
Anthrax.....	7	1	—	—	—	—	—	—	—	—	—	—	—	—
Botulism.....	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cholera.....	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Dengue.....	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diphtheria.....	70	10	4	2	—	5	4	—	6	9	18	10	2	—
Encephalitis.....	34	4	5	5	—	5	2	—	1	3	3	2	—	—
Gastro-enteritis.....	277	23	46	13	6	25	29	32	26	26	25	14	11	1
Glaucoma.....	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Infectious jaundice**.....	128	—	14	12	9	6	11	9	18	13	3	6	10	—
Leptospirosis.....	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Leptospirosis.....	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles.....	4	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles.....	7,630	612	922	1,603	1,805	1,457	593	1,056	12	16	31	28	114	163
Meningococcal infections..	86	8	12	8	9	10	7	6	5	1	7	10	7	—
Erysipthoid fever.....	6	—	1	2	—	—	2	—	1	—	—	—	—	—
Rabies.....	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Rocky Mountain spotted fever.....	315	1	1	4	2	10	17	79	92	68	27	11	3	—
Scarlet fever.....	75	10	15	11	10	8	7	5	1	3	2	—	—	—
Serpic sore throat.....	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Smallpox.....	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Tetanus.....	13	1	1	1	1	—	1	—	—	—	—	—	—	—
Trachoma.....	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Trichinosis.....	9	—	—	—	—	9	—	—	—	—	—	—	—	—
Tuberculosis, all forms... Tuberculosis.....	1,850	140	160	190	147	171	190	145	159	107	145	134	162	—
Typhoid fever.....	23	2	3	4	3	1	1	3	3	1	1	1	—	—
Typhus fever, murine.....	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Typhus fever, European.....	10	—	—	—	—	—	—	—	—	—	—	—	—	—
Undulant fever.....	539	58	70	51	49	56	80	56	46	14	16	15	7	21
Whooping cough.....	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Yellow fever.....	17,051	1,961	1,352	1,394	1,306	1,473	1,520	1,394	1,363	1,474	1,540	1,527	1,347	—
Veneral diseases.....	12,728	1,052	1,046	1,042	1,022	1,049	1,168	1,068	1,055	1,194	1,194	1,036	832	—
Gonorrhea.....	17	2	1	1	3	3	3	1	290	324	5	1	—	—
Opticthemia nematodum... Syphilis.....	4,107	292	285	335	254	404	326	287	290	324	1	479	506	—
Other veneral diseases..	216	17	21	17	30	20	26	19	18	10	16	12	10	—
Chancroid.....	171	12	15	13	23	14	22	15	16	8	15	10	8	—
Granuloma inguinale.....	28	4	5	3	5	4	2	2	—	1	—	2	—	—
Lymphogranuloma venereum.....	17	1	1	1	2	2	2	2	2	1	1	—	2	—

*Except amebiasis, tuberculosis and the veneral diseases which are by month of report.

**Excludes leptospirosis.

TABLE 7. — CASES OF REPORTABLE COMMUNICABLE DISEASES BY DISEASE AND AGE: NORTH CAROLINA, 1956

Disease	All Ages	Age in Years																	65 and Over	Not and Stated
		Under 1	1	2	3	4	5	6	7	8	9	10-14	15-19	20-24	25-29	30-34	35-44	45-54		
Anthraxis.....	18	1	—	—	—	—	—	—	—	—	1	—	—	—	2	2	3	2	1	5
Botulism.....	7	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cholera.....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Dengue.....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diphtheria.....	70	2	6	8	4	7	7	3	1	1	3	13	3	4	2	3	3	—	—	—
Encephalitis.....	34	5	1	1	2	2	1	5	3	—	3	2	1	—	—	—	4	—	—	—
Gastro-enteritis.....	277	70	13	15	6	8	8	5	8	6	3	11	19	11	18	12	24	14	16	8
Glanders.....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Infectious jaundice.....	128	2	—	—	3	1	—	2	7	10	6	29	—	12	9	—	13	7	6	2
Leptospirosis.....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles.....	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Meningococcal infections.....	7, 96	276	613	672	657	629	776	1,157	1,192	704	341	399	66	20	14	12	11	1	3	1
Paratyphoid fever.....	6	1	—	1	—	—	—	—	—	—	—	—	1	—	2	—	—	—	—	—
Plague.....	315	19	23	27	19	21	20	23	14	11	3	46	23	32	18	9	5	2	—	—
Poliomyelitis.....	75	—	1	2	—	—	—	5	7	1	—	6	—	4	7	—	16	5	2	—
Rabies.....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Rocky Mountain spotted fever.....	35	—	1	4	3	2	1	2	4	1	3	3	1	1	—	—	3	6	2	1
Scarlet fever.....	1,206	7	30	70	78	103	104	184	157	130	98	173	41	8	6	5	1	1	2	—
Septic sore throat.....	35	—	1	4	3	2	—	6	3	4	1	5	1	—	2	1	—	—	—	—
Smallpox.....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Tetanus.....	13	3	—	1	1	1	1	—	—	—	—	—	1	—	—	1	1	—	3	1
Trachoma.....	9	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Trichinosis.....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Tuberculosis, all forms.....	1,920	16	29	27	25	16	21	7	7	8	10	32	57	110	147	166	318	261	274	1
Typhemia.....	16	—	—	—	—	—	—	—	—	—	—	—	1	—	4	4	2	1	2	—
Typhoid fever.....	23	—	1	—	2	—	2	—	—	1	1	3	2	1	3	—	3	2	—	—
Typhus fever, murine.....	2	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Typhus fever, European.....	10	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Unlabeled fever.....	539	112	64	59	57	50	37	27	23	21	22	47	9	1	1	1	—	3	2	—
Whooping cough.....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Yellow fever.....	17, 051	26	1	3	6	3	10	8	12	7	10	247	3, 821	5, 000	2, 602	1, 451	1, 674	603	455	720
Other venereal diseases.....	12, 728	16	1	1	4	3	8	6	7	5	5	171	3, 239	4, 577	2, 169	978	691	162	32	638
Chancroid.....	17	13	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Granuloma inguinale.....	4, 107	8	—	2	—	—	2	2	5	2	5	75	337	435	392	479	960	733	400	95
Lymphogranuloma venereum.....	216	—	—	—	—	—	—	—	—	—	—	1	45	78	31	24	23	8	3	1
Other venereal diseases.....	171	—	—	—	—	—	—	—	—	—	—	1	43	61	26	18	15	4	2	2
Granuloma inguinale.....	228	—	—	—	—	—	—	—	—	—	—	2	9	9	4	2	4	4	1	—
Lymphogranuloma venereum.....	17	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

*Excludes leptospirosis.

[illegible]

Rabies.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Rocky Mountain spotted fever.....	35	0.8	16	0.7	19	0.9	25	0.8	12	0.7	13	0.8	9	0.8	4	0.7	5	0.9	1
Scarlet fever.....	1,206	27.6	557	25.7	649	29.5	1,132	34.9	535	32.4	607	37.4	55	4.9	23	4.2	32	5.6	19
Septic sore throat.....	35	0.8	14	0.6	21	1.0	32	1.0	13	0.8	19	1.2	3	0.3	1	0.2	2	0.3	-
Shallpox.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tetanus.....	13	0.3	8	0.4	5	0.2	5	0.2	4	0.2	1	0.1	8	0.7	4	0.7	4	0.7	-
Trachoma.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Trichinosis.....	9	0.2	9	0.4	-	-	9	0.3	9	0.6	-	-	-	-	-	-	-	-	-
Tuberculosis, all forms.....	1,860	42.3	1,162	53.6	688	31.3	1,034	31.9	682	42.1	352	21.7	816	72.5	480	87.3	336	58.4	-
Typhalaria.....	16	0.4	11	0.5	5	0.2	11	0.3	8	0.5	3	0.2	5	0.4	3	0.5	2	0.3	-
Typhoid fever.....	23	0.5	12	0.6	11	0.5	15	0.5	6	0.4	9	0.6	8	0.7	6	1.1	2	0.3	-
Typhus fever, murine.....	2	0.0	1	0.0	1	0.0	2	0.1	1	0.1	1	0.1	-	-	-	-	-	-	-
Typhus fever, European.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Undulant fever.....	10	0.2	7	0.3	3	0.1	7	0.2	5	0.3	2	0.1	3	0.3	2	0.4	1	0.2	-
Whooping cough.....	539	12.3	272	12.5	267	12.1	275	8.5	136	8.4	139	8.6	255	22.7	131	23.8	124	21.5	9
Yellow fever.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Zoonoses.....	17,051	390.3	11,666	537.6	5,386	245.0	1,905	59.7	1,317	81.3	588	36.2	15,146	1345.6	10,348	1882.2	4,798	833.3	-
Gonorrhea.....	12,728	291.4	9,333	430.2	3,385	154.4	1,406	43.4	1,019	62.9	387	23.8	11,322	1005.9	8,314	1512.2	3,008	522.4	-
Ophthalmia neonatorum.....	17	0.4	10	0.5	7	0.3	1	0.0	-	-	1	0.1	16	1.4	10	1.8	6	1.0	-
Syphilis.....	4,107	94.0	2,181	100.5	1,926	87.6	473	14.6	277	17.1	196	12.1	3,634	322.9	1,904	346.3	1,730	300.5	-
Other venereal diseases.....	216	4.9	151	7.0	65	3.0	26	0.8	21	1.3	5	0.3	190	16.9	130	23.6	60	10.4	-
Chancroid.....	171	3.9	117	5.4	54	2.5	21	0.6	16	1.1	3	0.2	150	13.3	99	18.0	51	8.9	-
Granuloma inguinale.....	26	0.6	22	1.0	6	0.3	2	0.1	2	0.1	-	-	26	2.3	20	3.6	6	1.0	-
Lymphogranuloma venereum.....	17	0.4	12	0.6	5	0.2	3	0.1	1	0.1	2	0.1	14	1.2	11	2.0	3	0.5	-

*Excludes leptospirosis.

[illegible]

ANNUAL REPORT OF MORBIDITY STATISTICS

[illegible]

TABLE 9. -- GASTRO-ENTERITIS -- Continued

[illegible]

TABLE 10. — GONORRHEA —Continued

Area	Diagnosed Cases																Epidemiologic Treatment					
	All Sites				Genito-Urinary				Ophthalmia				Other									
	Total	White	Non-white		White	Male	Fem.	Male	Fem.	White	Male	Fem.	Male	Fem.	White	Male	Fem.	Male	Fem.	Nonwhite	Male	Fem.
Cleveland.....	110	14	96	10	4	76	20	-	-	-	-	-	-	-	-	-	-	-	-	5	-	4
Columbus.....	219	13	206	7	6	160	46	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Craven.....	334	55	279	52	3	227	52	-	-	-	-	-	-	-	-	-	-	-	-	10	12	169
Cumberland.....	1,137	160	977	160	-	976	1	-	-	-	-	-	-	-	-	-	-	-	-	23	46	204
Currituck.....	33	1	32	1	-	31	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Dare.....	11	-	11	-	-	8	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Davidson.....	21	5	16	4	1	16	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Davie.....	2	-	2	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Duplin.....	34	3	31	2	1	25	6	-	-	-	-	-	-	-	-	-	-	-	-	-	4	21
Durham.....	1,232	69	1,223	46	23	898	322	-	-	-	-	-	-	-	-	-	-	-	-	2	5	1
Edgecombe.....	57	-	57	-	-	18	39	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Forsyth.....	890	78	812	61	17	556	235	-	-	-	-	-	-	-	-	-	-	-	-	14	4	288
Franklin.....	54	-	54	-	-	52	2	-	-	-	-	-	-	-	-	-	-	-	-	1	1	10
Gaston.....	165	52	113	28	24	94	19	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Gates.....	2	-	2	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	4
Granville.....	79	-	79	-	-	67	12	-	-	-	-	-	-	-	-	-	-	-	-	1	2	39
Greene.....	32	2	30	-	2	14	16	-	-	-	-	-	-	-	-	-	-	-	-	-	2	16
Guilford.....	743	76	667	52	24	548	119	-	-	-	-	-	-	-	-	-	-	-	-	15	-	182
Halifax.....	27	-	27	-	-	13	14	-	-	-	-	-	-	-	-	-	-	-	-	-	2	11
Harnett.....	251	9	242	7	2	150	91	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1

TABLE 11. -- CASES OF INFECTIOUS JAUNDICE* BY COUNTY OF RESIDENCE,
TYPE AND COLOR: NORTH CAROLINA, 1966

Area	All Types				Infectious Hepatitis				Serum Hepatitis			
	Total	White	Non-white	Not Stated	Total	White	Non-white	Not Stated	Total	White	Non-white	Not Stated
North Carolina....	128	110	18	-	123	106	17	-	5	4	1	-
Alamance.....	2	2	-	-	2	2	-	-	-	-	-	-
Anson.....	1	-	1	-	1	-	1	-	-	-	-	-
Bladen.....	3	1	2	-	3	1	2	-	-	-	-	-
Burke.....	1	1	-	-	1	1	-	-	-	-	-	-
Catawba.....	1	1	-	-	1	1	-	-	-	-	-	-
Chatham.....	1	-	1	-	1	-	1	-	-	-	-	-
Cherokee.....	1	1	-	-	1	1	-	-	-	-	-	-
Clay.....	1	1	-	-	1	1	-	-	-	-	-	-
Columbus.....	1	-	1	-	1	-	1	-	-	-	-	-
Cumberland.....	1	1	-	-	1	1	-	-	-	-	-	-
Davidson.....	5	4	1	-	5	4	1	-	-	-	-	-
Durham.....	4	4	-	-	4	4	-	-	-	-	-	-
Forsyth.....	1	-	1	-	1	-	-	-	1	-	1	-
Gaston.....	6	6	-	-	6	6	-	-	-	-	-	-
Graham.....	3	3	-	-	3	3	-	-	-	-	-	-
Granville.....	6	5	1	-	6	5	1	-	-	-	-	-
Guilford.....	2	2	-	-	2	2	-	-	-	-	-	-
Halifax.....	3	2	1	-	2	1	1	-	1	1	-	-
Henderson.....	1	1	-	-	1	1	-	-	-	-	-	-
Iredell.....	4	4	-	-	4	4	-	-	-	-	-	-
Jackson.....	7	7	-	-	7	7	-	-	-	-	-	-
Jones.....	2	2	-	-	2	2	-	-	-	-	-	-
Lenoir.....	13	11	2	-	13	11	2	-	-	-	-	-
McDowell.....	2	2	-	-	2	2	-	-	-	-	-	-
Madison.....	2	2	-	-	2	2	-	-	-	-	-	-
Mecklenburg.....	3	3	-	-	3	3	-	-	-	-	-	-
Montgomery.....	1	1	-	-	1	1	-	-	-	-	-	-
Moore.....	4	4	-	-	3	3	-	-	1	1	-	-
Onslow.....	1	1	-	-	1	1	-	-	-	-	-	-
Orange.....	4	4	-	-	3	3	-	-	1	1	-	-
Pamlico.....	1	1	-	-	1	1	-	-	-	-	-	-
Pasquotank.....	4	4	-	-	4	4	-	-	-	-	-	-
Pender.....	3	2	1	-	3	2	1	-	-	-	-	-
Person.....	1	1	-	-	1	1	-	-	1	1	-	-
Pitt.....	4	-	4	-	4	-	4	-	1	-	-	-
Polk.....	1	1	-	-	1	1	-	-	-	-	-	-
Randolph.....	1	1	-	-	1	1	-	-	-	-	-	-
Richmond.....	1	1	-	-	1	1	-	-	-	-	-	-
Robeson.....	3	2	1	-	3	2	1	-	-	-	-	-
Rockingham.....	4	4	-	-	4	4	-	-	-	-	-	-
Rutherford.....	1	1	-	-	1	1	-	-	-	-	-	-
Stokes.....	2	2	-	-	2	2	-	-	-	-	-	-
Surry.....	2	2	-	-	2	2	-	-	-	-	-	-
Union.....	1	1	-	-	1	1	-	-	-	-	-	-
Wake.....	3	2	1	-	3	2	1	-	-	-	-	-
Warren.....	1	1	-	-	1	1	-	-	-	-	-	-
Watauga.....	8	8	-	-	8	8	-	-	-	-	-	-
Wilkes.....	1	1	-	-	1	1	-	-	-	-	-	-

*Excludes leptospirosis.

TABLE 12. — CASES OF POLIOHELYTIS BY COUNTY OF RESIDENCE, COLOR, PARALYTIC STATUS, AND MONTH OF ONSET: NORTH CAROLINA, 1956

Area	Color			Paralytic Status			Month of Onset												Not Stated	
	Total	White	Non-white	Not Stated	Paralytic	Non-para.	Not Stated	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.		Dec.
North Carolina..	315	227	88	-	179	136	-	1	1	4	2	10	17	79	92	68	27	11	3	-
Alamance.....	7	5	2	-	3	4	-	-	-	-	-	-	1	-	3	2	-	1	-	-
Ashe.....	3	3	-	-	-	3	-	-	-	-	-	-	-	-	3	-	-	-	-	-
Avery.....	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-
Beaufort.....	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
Bertie.....	3	-	3	-	2	1	-	-	-	-	-	-	1	1	-	1	-	-	-	-
Brunswick.....	2	2	-	-	1	1	-	-	-	-	-	-	1	-	-	1	-	-	-	-
Buncombe.....	3	3	-	-	1	2	-	-	-	1	1	-	1	-	-	-	-	-	-	-
Burke.....	5	4	1	-	1	4	-	-	-	-	-	-	-	3	1	-	1	-	-	-
Caldwell.....	6	6	-	-	-	6	-	-	-	-	-	2	1	3	-	-	-	-	-	-
Caswell.....	2	1	1	-	1	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-
Catawba.....	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
Chatham.....	2	-	2	-	-	2	-	-	-	-	-	-	-	-	2	-	-	-	-	-
Cherokee.....	2	2	-	-	1	1	-	-	-	-	-	-	-	1	-	-	-	-	1	-
Chowan.....	4	3	1	-	4	-	-	-	-	-	-	-	1	-	-	3	-	-	-	-
Cleveland.....	7	6	1	-	-	7	-	-	-	-	-	-	-	4	3	-	-	-	-	-
Columbus.....	2	2	-	-	1	1	-	-	-	1	-	-	-	1	-	-	-	-	-	-
Craven.....	4	3	1	-	3	1	-	-	-	-	-	-	-	-	1	3	-	-	-	-
Cumberland.....	6	6	-	-	5	1	-	-	-	-	-	-	-	-	1	1	3	1	-	-
Davidson.....	3	3	-	-	2	1	-	-	-	-	-	-	-	-	3	-	-	-	-	-
Duplin.....	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-

Durham.....	48	42	6	-	27	21	-	-	-	-	-	-	3	3	16	17	9	-	-	-	-	-
Edgecombe.....	9	2	7	-	8	1	-	-	-	-	-	-	-	-	-	2	4	2	-	-	-	-
Forsyth.....	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-
Franklin.....	1	-	1	-	-	1	-	-	-	-	-	-	-	-	2	1	1	1	-	-	-	-
Gaston.....	5	4	1	-	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Granville.....	9	5	4	-	8	1	-	-	-	-	1	-	-	-	-	4	2	2	-	-	-	-
Greene.....	1	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
Guilford.....	14	8	6	-	8	6	-	-	-	-	1	-	-	-	-	2	5	2	-	-	-	-
Halifax.....	10	4	6	-	8	2	-	-	-	-	-	-	-	-	-	3	3	2	-	-	-	-
Harrett.....	4	4	-	-	3	1	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-
Haywood.....	2	2	-	-	1	1	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-
Henderson.....	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
Hertford.....	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
Iredell.....	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Jackson.....	4	4	-	-	3	1	-	-	-	-	-	-	-	-	-	1	2	1	-	-	-	-
Johnston.....	5	4	1	-	2	3	-	-	-	-	-	-	-	-	-	2	3	-	-	-	-	-
Lee.....	6	6	-	-	4	2	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-
Lenoir.....	5	4	1	-	3	2	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-
Martin.....	2	2	2	-	2	2	-	-	-	-	-	-	-	-	-	-	3	1	-	-	-	-
Mecklenburg....	6	5	1	-	5	1	-	-	-	-	-	-	-	-	2	-	1	1	-	-	-	-
Montgomery.....	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
Moore.....	3	2	1	-	3	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-
Nash.....	2	1	1	-	1	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-
New Hanover....	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
Northampton....	4	2	2	-	4	-	-	-	-	-	1	-	-	-	-	2	1	-	-	-	-	-
Orange.....	7	5	2	-	2	5	-	-	-	-	1	-	-	-	-	-	2	2	-	-	-	-
Pasquotank.....	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
Pender.....	2	1	1	-	2	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-
Person.....	2	2	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pitt.....	16	8	8	-	13	3	-	-	-	-	-	-	-	-	-	8	7	1	-	-	-	-

TABLE 12. — POLIOMELITIS — Continued

Area	Color			Paralytic Status			Month of Onset												Not Stated	
	Total	White	Non-white	Not Stated	Paralytic	Non-para.	Not Stated	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.		Dec.
Randolph.....	7	6	1	-	5	2	-	-	-	-	-	-	-	2	1	4	-	-	-	-
Richmond.....	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-
Robeson.....	3	-	3	-	3	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-
Rockingham.....	4	4	-	-	1	3	-	-	-	-	-	-	-	-	1	1	1	1	-	-
Rowan.....	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-
Rutherford.....	5	5	-	-	-	5	-	-	-	-	-	1	-	2	2	-	-	-	-	-
Sampson.....	2	1	1	-	1	1	-	-	-	-	-	-	-	1	-	1	-	-	-	-
Scotland.....	2	1	1	-	1	1	-	-	-	-	-	-	-	2	-	-	-	-	-	-
Stanly.....	2	2	-	-	1	1	-	-	-	-	-	-	-	-	-	2	-	-	-	-
Transylvania.....	2	2	-	-	2	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-
Tyrrell.....	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Union.....	1	1	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
Vance.....	5	3	2	-	2	3	-	-	-	-	-	-	1	1	1	2	-	-	-	-
Wake.....	23	16	7	-	7	16	-	-	-	-	-	-	1	5	5	5	4	3	-	-
Warren.....	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Washington.....	1	-	1	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-
Watauga.....	4	4	-	-	-	4	-	-	-	-	-	-	-	1	2	-	-	-	-	-
Wayne.....	7	4	3	-	5	2	-	-	-	-	-	-	1	1	3	1	-	-	1	-
Wilkes.....	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
Wilson.....	1	1	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-

TABLE 13. — CASES OF PREVIOUSLY INTREATED SYPHILIS BY COUNTY OF REPORT, STAGE, COLOR, AND SEX: NORTH CAROLINA, 1966

Area	Diagnosed Cases																Epidemiologic Treatment					
	All Stages			Primary-Secondary				Early Latent				Other Acquired				Congenital				White	Non-white	
	Total	White	Non-white	White		Nonwhite		White		Nonwhite		White		Nonwhite		White	Nonwhite					
				M	F	M	F	M	F	M	F	M	F	M	F			M	F			
North Carolina	4,107	473	3,634		20	6	107	92	51	31	333	447	193	137	1,367	1,057	13	22	102	124	22	308
Alamance.....	117	32	85		-	-	1	1	2	2	5	11	14	13	40	26	1	-	-	1	5	4
Alexander.....	2	1	1		-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-
Alleghany.....	1	1	-		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Anson.....	32	5	27		-	-	-	-	-	-	2	1	2	2	4	16	1	-	2	2	-	9
Avery.....	1	1	-		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Beaufort.....	46	2	44		-	-	1	-	1	-	7	4	1	-	14	15	-	-	3	-	-	-
Bertie.....	8	-	8		-	-	-	-	-	-	3	3	-	-	2	-	-	-	-	-	-	-
Bladen.....	34	3	31		-	-	-	-	1	1	2	2	2	-	19	6	-	-	-	3	-	1
Brunswick.....	36	3	33		-	-	2	-	-	-	2	1	2	1	21	5	-	-	2	-	-	1
Buncombe.....	35	11	24		1	-	1	-	4	1	5	8	4	1	7	2	-	-	-	1	7	-
Burke.....	11	3	8		-	-	-	-	-	-	-	-	2	-	6	2	-	1	-	-	-	-
Cabarrus.....	9	3	6		-	-	2	-	-	-	-	-	2	1	1	1	-	1	-	-	-	-
Caldwell.....	9	4	5		-	-	-	-	-	-	-	-	3	-	3	-	-	1	-	2	-	-
Camden.....	4	-	4		-	-	-	-	-	-	2	1	-	-	1	-	-	-	-	-	-	-
Carteret.....	168	3	165		-	-	1	-	-	-	14	1	2	1	139	8	-	-	2	-	-	-
Caswell.....	9	-	9		-	-	-	-	-	-	1	1	-	-	2	5	-	-	-	-	-	2
Catawba.....	20	4	16		-	-	2	3	-	2	-	2	1	1	9	-	-	-	-	-	-	-
Chatham.....	34	2	32		-	-	1	1	-	-	7	4	1	1	11	6	-	-	1	1	-	1
Cherokee.....	1	-	1		-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Chowan.....	4	1	3		-	-	-	-	-	-	-	-	-	1	1	2	-	-	-	-	-	1

TABLE 13. — SYPHILIS — Continued

Area	Diagnosed Cases																	Epidemiologic Treatment				
	All Stages			Primary-Secondary				Early Latent				Other Acquired				Congenital						
				White		Nonwhite		White		Nonwhite		White		Nonwhite		White			Nonwhite			
	Total	White	Non-white	M	F	M	F	M	F	M	F	M	F	M	F	M	F		White	Nonwhite	White	Nonwhite
Clay.....	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
Cleveland.....	45	5	40	-	-	-	6	1	-	3	5	2	1	11	4	-	-	-	2	3	-	-
Columbus.....	87	9	78	-	-	-	-	-	-	5	4	5	2	32	26	-	-	-	2	5	6	2
Craven.....	54	5	49	1	-	1	1	1	1	4	8	1	1	18	15	-	-	-	1	1	1	16
Cumberland.....	96	12	84	5	3	14	4	1	-	15	13	3	-	28	9	-	-	-	1	-	-	8
Curtis.....	19	-	19	-	-	-	-	-	-	5	6	-	-	2	6	-	-	-	-	-	-	-
Davidson.....	20	9	11	-	-	-	-	-	1	-	1	4	2	3	7	-	2	-	-	-	-	-
Davis.....	10	-	10	-	-	-	-	-	-	-	-	-	-	8	2	-	-	-	-	-	-	-
Duplin.....	39	5	34	-	-	-	1	-	1	-	5	4	2	1	13	8	1	-	1	2	-	4
Durham.....	68	5	63	1	-	9	3	-	-	4	2	4	-	19	24	-	-	-	2	-	1	11
Edgecombe.....	14	-	14	-	-	1	1	-	-	6	2	-	-	4	-	-	-	-	-	-	-	1
Forsyth.....	54	11	43	1	-	-	1	1	1	7	10	5	3	9	16	-	-	1	-	-	-	3
Franklin.....	15	3	12	-	-	-	-	-	-	2	2	2	-	5	2	-	-	-	-	1	-	1
Gaston.....	37	10	27	4	1	2	3	1	-	3	2	2	2	9	5	-	-	-	2	1	-	3
Gates.....	5	1	4	-	-	-	-	-	1	2	1	-	-	-	-	-	-	-	-	1	-	3
Granville.....	21	6	15	-	-	-	1	-	-	1	3	2	3	5	5	-	-	1	-	-	-	-
Greene.....	19	-	19	-	-	1	1	-	-	1	3	-	-	7	3	-	-	-	2	1	-	1
Guilford.....	50	54	456	1	1	6	19	5	2	25	35	12	26	193	187	1	-	-	12	9	1	46
Halifax.....	144	1	143	1	-	2	4	-	-	22	23	-	-	49	26	-	-	-	9	8	-	5
Harnett.....	21	2	19	-	-	4	2	-	-	3	5	2	-	4	1	-	-	-	-	-	1	8

[illegible]

TABLE 13. — SYPHILIS — Continued

Area	Diagnosed Cases																	Epidemiologic Treatment							
	All Stages				Primary-Secondary				Early Latent				Other Acquired				Congenital								
	Total	White	Non-white	White		Nonwhite		White		Nonwhite		White		Nonwhite		White		Nonwhite							
				M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	White	Non-white				
Randolph.....	7	4	3	-	-	-	1	1	1	2	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-
Richmond.....	15	3	12	-	-	-	1	-	2	6	-	4	2	-	-	-	-	-	-	-	-	-	-	-	-
Robeson.....	132	31	161	1	-	1	2	3	4	19	39	10	6	45	48	1	6	1	6	1	6	1	6	1	6
Rockingham.....	39	8	31	-	-	-	-	2	3	2	2	-	3	12	15	-	-	-	-	-	-	-	-	-	1
Rowan.....	41	6	35	-	-	1	-	-	5	4	4	2	19	3	-	-	-	-	-	-	-	-	-	-	4
Rutherford.....	13	4	9	-	-	-	2	1	2	-	-	-	-	3	4	-	1	-	-	-	-	-	-	1	1
Sampson.....	15	2	13	-	-	1	1	1	-	4	2	1	-	3	1	-	-	-	-	-	-	-	-	-	-
Scotland.....	56	5	51	-	-	-	-	2	-	4	3	2	-	13	21	-	1	2	3	-	-	-	-	-	-
Stanly.....	3	2	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
Stokes.....	4	-	4	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-
Surry.....	2	-	2	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Transylvania.....	2	2	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Tyrrell.....	7	-	7	-	-	-	-	-	-	1	-	-	-	5	1	-	-	-	-	-	-	-	-	-	-
Union.....	21	2	19	-	-	-	-	1	-	2	1	-	4	10	-	-	2	1	-	-	-	-	-	-	-
Vance.....	36	1	35	-	-	1	-	-	-	4	6	1	-	11	8	-	-	2	3	-	-	-	-	-	4
Wake.....	245	30	215	-	-	4	3	2	1	9	25	13	9	98	70	-	-	3	3	-	-	-	-	-	-
Warren.....	16	-	16	-	-	1	1	-	-	3	-	-	-	5	3	-	-	-	3	-	-	-	-	-	-
Washington.....	58	-	58	-	-	-	-	-	-	3	4	-	-	35	13	-	-	2	1	-	-	-	-	-	-
Watauga.....	2	2	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
Wayne.....	67	6	61	1	-	3	4	2	-	7	1	1	2	17	17	-	-	4	8	1	3	-	-	-	3
Wilkes.....	1	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Wilson.....	69	4	65	-	-	5	4	-	-	10	17	2	2	14	10	-	-	2	3	-	-	-	-	-	41
Yadkin.....	4	1	3	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-

TABLE 14. — CASES OF PREVIOUSLY UNTREATED SYPHILIS BY STAGE, COLOR, AND SEX WITH RATES PER 100,000 POPULATION: NORTH CAROLINA, 1940, 1950 and 1956

Year	Stage	All Classes						White						Nonwhite					
		Total			Male			Female			Total			Male			Female		
		No.	Rate	No.	Rate	No.	Rate	No.	Rate	No.	Rate	No.	Rate	No.	Rate	No.	Rate	No.	Rate
1940	All Stages.....	21,225	594.3	9,528	537.4	11,697	650.3	2,756	107.3	1,454	113.4	1,302	101.3	18,469	1839.6	8,074	1643.6	10,395	2027.3
	Primary-Secondary..	2,611	73.1	1,307	73.7	1,304	72.5	504	19.6	290	21.8	224	17.4	2,107	209.9	1,027	209.1	1,080	210.6
	Early Latent.....	9,436	254.2	3,766	212.4	5,670	315.2	966	34.4	467	36.4	519	40.4	8,450	841.6	3,289	871.6	5,151	1,004.6
	Other Acquired.....	8,143	228.0	4,009	226.1	4,134	229.8	1,104	43.0	632	49.3	472	36.7	7,036	701.1	3,377	697.5	3,662	714.2
	Congenital.....	1,035	29.0	446	25.2	589	32.7	162	6.3	75	5.9	87	6.8	873	87.0	371	75.5	502	97.9
1950	All Stages.....	5,146	126.7	2,258	111.9	2,888	141.2	498	16.7	252	16.9	246	16.5	4,648	430.8	2,006	380.5	2,642	479.0
	Primary-Secondary..	1,187	29.2	590	29.2	597	29.2	163	5.5	99	6.6	64	4.3	1,024	94.9	491	93.1	533	98.6
	Early Latent.....	2,457	60.5	922	45.7	1,535	75.1	168	5.6	68	4.6	100	6.7	2,289	212.2	854	162.0	1,435	280.2
	Other Acquired.....	1,170	28.8	595	29.5	575	28.1	139	4.7	74	5.0	65	4.4	1,031	95.6	521	98.8	510	92.5
	Congenital.....	332	8.2	151	7.5	181	8.9	28	0.9	11	0.7	17	1.1	304	29.2	140	26.6	164	29.7
1956	All Stages.....	4,107	94.0	2,151	100.5	1,926	87.6	473	14.6	277	17.1	196	12.1	3,634	322.9	1,904	346.3	1,730	300.5
	Primary-Secondary..	225	5.2	127	5.9	98	4.5	26	0.8	20	1.2	6	0.4	199	17.7	107	19.5	92	16.0
	Early Latent.....	857	19.6	379	17.5	478	21.7	82	2.5	51	3.1	31	1.9	775	68.9	338	59.7	447	77.6
	Other Acquired.....	2,764	63.3	1,560	71.9	1,204	54.8	330	10.2	193	11.9	137	8.4	2,434	216.2	1,367	248.6	1,067	186.3
	Congenital.....	261	6.0	115	5.3	146	6.6	35	1.1	13	0.8	22	1.4	295	20.1	102	18.6	124	21.5

TABLE 15. — CASES OF PREVIOUSLY UNTREATED CONGENITAL
NORTH CAROLINA,

Year of Birth	Year of											
	1949-1956			1956			1955			1954		
	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white
1956.....	8	3	5	8	3	5	-	-	-	-	-	-
1955.....	6	-	6	-	-	-	6	-	6	-	-	-
1954.....	13	-	13	2	-	2	1	-	1	10	-	10
1953.....	21	2	19	-	-	-	1	-	1	1	-	1
1952.....	27	-	27	-	-	-	-	-	-	4	-	4
1951.....	44	9	35	2	-	2	2	-	2	1	-	1
1950.....	61	3	58	1	-	1	1	-	1	2	-	2
1949.....	91	14	77	4	1	3	2	-	2	2	-	2
1948.....	54	5	49	2	-	2	2	-	2	1	-	1
1947.....	51	-	51	5	-	5	2	-	2	8	-	8
1946.....	40	6	34	4	2	2	1	-	1	1	-	1
1945.....	57	6	51	5	-	5	8	1	7	7	-	7
1944.....	82	6	76	11	1	10	10	-	10	6	-	6
1943.....	78	9	69	16	1	15	8	2	6	9	-	9
1942.....	92	6	86	20	2	18	9	-	9	4	-	4
1941.....	113	13	100	19	2	17	9	1	8	14	1	13
1940.....	161	14	147	21	2	19	22	1	21	19	1	18
1939.....	193	11	182	24	1	23	26	1	25	27	1	26
1938.....	205	16	189	26	4	22	26	3	23	19	2	17
1937.....	201	16	185	16	2	14	18	4	14	25	1	24
1936.....	176	17	159	9	-	9	11	2	9	9	3	6
1935.....	161	21	140	14	4	10	13	1	12	8	-	8
1934.....	155	13	142	6	-	6	9	-	9	11	1	10
1933.....	108	12	91	4	1	3	6	-	6	2	-	2
1932.....	85	7	78	3	1	2	7	1	6	5	-	5
1931.....	70	5	65	3	1	2	3	-	3	5	-	5
1930.....	45	3	42	4	1	3	4	-	4	3	-	3
1929.....	27	4	23	6	1	5	4	-	4	2	-	2
1928.....	23	3	20	2	-	2	1	-	1	4	-	4
1927.....	18	4	14	2	-	2	2	1	1	1	-	1
1926.....	15	1	14	2	-	2	-	-	-	4	1	3
1925.....	20	1	19	2	-	2	4	-	4	2	-	2
Prior to 1925	87	23	64	18	5	13	11	5	6	16	4	12
Total.....	2,583	253	2,330	261	35	226	229	23	206	232	15	217

SYPHILIS BY YEAR OF BIRTH, YEAR OF REPORT, AND COLOR:
1949-1956

Report														
1953			1952			1951			1950			1949		
Total	White	Non-white	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
19	2	17	-	-	-	-	-	-	-	-	-	-	-	-
1	-	1	22	-	22	-	-	-	-	-	-	-	-	-
2	-	2	5	-	5	32	9	23	-	-	-	-	-	-
1	-	1	3	1	2	3	-	3	50	2	48	-	-	-
3	-	3	3	-	3	9	2	7	6	-	6	62	11	51
1	-	1	2	-	2	11	2	9	8	1	7	27	2	25
4	-	4	3	-	3	7	-	7	12	-	12	10	-	10
5	-	5	5	-	5	13	2	11	6	1	5	5	1	4
5	1	4	8	1	7	11	1	10	6	1	5	7	1	6
7	2	5	17	1	16	12	-	12	9	-	9	10	2	8
8	1	7	10	3	7	9	1	8	7	-	7	11	1	10
18	2	16	13	-	13	9	1	8	8	1	7	11	-	11
15	2	13	14	-	14	18	1	17	13	4	9	11	2	9
21	2	19	27	2	25	20	3	17	14	1	13	17	2	15
36	1	35	26	2	24	24	4	20	19	-	19	11	1	10
33	1	32	35	1	34	40	2	38	13	1	12	13	2	11
28	2	26	36	1	35	31	-	31	19	3	16	28	3	25
28	3	25	42	3	39	39	4	35	17	-	17	21	2	19
16	2	14	25	4	21	22	4	18	31	1	30	32	5	27
29	5	24	15	1	14	32	3	29	21	3	18	32	-	32
20	3	17	10	-	10	18	2	16	23	4	19	20	2	18
9	1	8	4	-	4	20	1	19	17	1	16	20	2	18
6	1	5	6	1	5	13	2	11	10	-	10	24	-	24
4	-	4	3	-	3	7	2	5	4	-	4	16	-	16
5	2	3	3	-	3	1	-	1	3	-	3	3	1	2
5	2	3	1	-	1	5	-	5	4	1	3	1	-	1
4	2	2	3	-	3	2	-	2	1	-	1	3	1	2
1	-	1	1	-	1	1	-	1	1	-	1	5	-	5
2	-	2	1	-	1	2	-	2	1	-	1	6	1	5
9	2	7	7	3	4	6	-	6	9	3	6	11	1	10
345	39	306	350	24	326	417	46	371	332	28	304	417	43	374

TABLE 16. — CASES OF TUBERCULOSIS, ALL FORMS, BY COUNTY OF

Area	All Forms			Nonpulmonary			All Stages		
	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white
North Carolina.....	1,860	1,034	816	114	43	71	1,736	991	745
Alamance.....	9	6	3	-	-	-	9	6	3
Alexander.....	4	4	-	-	-	-	4	4	-
Alleghany.....	5	5	-	-	-	-	5	5	-
Anson.....	8	2	6	-	-	-	8	2	6
Ashe.....	9	9	-	-	-	-	9	9	-
Avery.....	4	4	-	-	-	-	4	4	-
Beaufort.....	31	22	9	-	-	-	31	22	9
Bertie.....	4	1	3	-	-	-	4	1	3
Bladen.....	9	4	5	-	-	-	9	4	5
Brunswick.....	2	-	2	-	-	-	2	-	2
Buncombe.....	124	95	29	4	2	2	120	93	27
Burke.....	13	11	2	-	-	-	13	11	2
Cabarrus.....	14	12	2	1	1	-	13	11	2
Caldwell.....	10	9	1	1	1	-	9	8	1
Canden.....	4	3	1	-	-	-	4	3	1
Carteret.....	8	7	1	-	-	-	8	7	1
Caswell.....	4	2	2	-	-	-	4	2	2
Catawba.....	12	9	3	-	-	-	12	9	3
Chatham.....	11	8	3	1	1	-	10	7	3
Cherokee.....	14	14	-	-	-	-	14	14	-
Chowan.....	5	2	3	-	-	-	5	2	3
Clay.....	1	1	-	-	-	-	1	1	-
Cleveland.....	15	7	8	3	1	2	12	6	6
Columbus.....	30	14	16	-	-	-	30	14	16
Craven.....	13	8	5	1	1	-	12	7	5
Cumberland.....	44	29	15	-	-	-	44	29	15
Dare.....	4	4	-	-	-	-	4	4	-
Davidson.....	27	23	4	-	-	-	27	23	4
Davie.....	1	1	-	-	-	-	1	1	-
Duplin.....	22	8	14	-	-	-	22	8	14
Durham.....	37	17	20	3	1	2	34	16	18
Edgecombe.....	41	9	32	7	1	6	34	8	26
Forsyth.....	73	33	40	7	1	6	66	32	34
Franklin.....	15	6	9	1	1	-	14	5	9
Gaston.....	42	34	8	3	1	2	39	33	6

Pulmonary

Primary Active		Reinfection											
White	Non-white	Active						Inactive				Other	
		Minimal		Moderately Advanced		Far Advanced		Moderately Advanced		Far Advanced			
		White	Non-white	White	Non-white	White	Non-white	White	Non-white	White	Non-white	White	Non-white
74	97	120	57	302	161	256	322	158	32	45	14	36	62
- 1	- 2	-	-	- 1	-	3	- 1	-	-	- 1	-	-	-
-	-	-	-	- 3	-	4	-	-	-	-	-	-	-
-	- 2	-	-	-	- 1	1	-	- 1	-	-	-	-	-
-	-	-	-	- 3	-	2	- 3	-	-	-	-	-	-
-	-	-	-	-	-	5	-	- 1	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-
- 1	-	- 1	-	- 8	- 1	2	-	-	- 2	-	-	-	- 1
-	-	-	-	-	-	1	- 5	- 11	- 1	-	-	-	-
-	-	- 2	- 2	-	- 2	1	2	- 1	-	-	-	-	-
-	-	-	-	-	-	1	2	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	1	7	- 2	21	- 7	7	- 9	37	- 4	20	- 2	1	2
- 1	1	1	-	5	- 1	3	- 1	1	-	-	-	1	1
-	-	-	-	5	1	2	-	-	-	- 1	-	-	-
-	-	-	-	1	1	2	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	1	-	2	-	- 3	1	-	-	-	-	- 1	-
- 1	-	-	-	4	-	- 1	3	- 1	-	- 1	-	- 1	-
- 3	-	-	- 1	2	- 1	-	1	- 1	-	-	-	- 1	-
-	-	- 2	-	2	-	-	-	9	-	- 1	-	-	-
-	-	-	-	- 1	- 1	1	- 1	-	-	-	-	-	- 1
- 1	-	-	-	-	-	2	- 3	-	-	-	-	-	-
- 1	- 2	-	- 1	1	- 2	2	7	2	- 1	- 1	- 1	- 2	- 1
- 1	-	-	- 2	4	1	2	4	- 2	-	-	-	-	-
- 4	-	- 4	- 1	5	- 4	13	- 7	2	- 1	-	-	-	- 2
- 5	- 1	- 5	-	1	- 2	1	- 1	1	-	- 1	-	-	-
- 1	- 3	- 1	-	1	- 2	- 3	- 7	- 3	-	-	-	- 1	- 2
1	4	2	3	6	4	3	6	3	-	-	-	1	1
2	1	1	2	-	5	5	15	9	-	-	-	1	2
3	11	9	3	4	2	3	16	-	-	-	-	-	-
1	-	-	- 1	4	1	-	7	-	- 1	-	-	-	-
10	- 1	6	-	8	2	7	2	- 2	-	-	-	-	-

TABLE 16. —

Area	All Forms			Nonpulmonary			All Stages		
	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white
Gates.....	5	3	2	1	1	—	4	2	2
Graham.....	2	2	—	1	1	—	1	1	—
Granville.....	14	6	8	1	—	1	13	6	7
Greene.....	18	2	16	2	—	2	16	2	14
Guilford.....	56	41	15	4	3	1	52	38	14
Halifax.....	49	13	36	4	—	4	45	13	32
Harnett.....	26	11	15	—	—	—	26	11	15
Haywood.....	25	19	6	—	—	—	25	19	6
Henderson.....	28	22	6	—	—	—	28	22	6
Hertford.....	22	4	18	3	—	3	19	4	15
Hoke.....	5	2	3	—	—	—	5	2	3
Hyde.....	3	2	1	—	—	—	3	2	1
Iredell.....	11	6	5	—	—	—	11	6	5
Jackson.....	5	4	1	1	1	—	4	3	1
Johnston.....	34	20	14	2	—	2	32	20	12
Jones.....	6	3	3	—	—	—	6	3	3
Lee.....	10	4	6	—	—	—	10	4	6
Lenoir.....	22	10	12	1	1	—	21	9	12
Lincoln.....	4	3	1	—	—	—	4	3	1
McDowell.....	3	3	—	1	1	—	2	2	—
Macon.....	12	11	1	—	—	—	12	11	1
Madison.....	4	4	—	—	—	—	4	4	—
Martin.....	21	8	13	—	—	2	19	8	11
Mecklenburg.....	83	44	39	9	4	5	74	40	34
Mitchell.....	6	6	—	—	—	—	6	6	—
Montgomery.....	11	9	2	2	1	1	9	8	1
Moore.....	12	8	4	—	—	—	12	8	4
Nash.....	38	9	29	1	—	1	37	9	28
New Hanover.....	39	18	21	3	2	1	36	16	20
Northampton.....	20	9	11	1	—	1	19	9	10
Onslow.....	25	13	12	1	—	1	24	13	11
Orange.....	13	8	5	1	1	—	12	7	5
Pamlico.....	6	4	2	1	—	1	5	4	1
Pasquotank.....	15	3	12	4	—	4	11	3	8
Pender.....	6	2	4	—	—	—	6	2	4

TUBERCULOSIS — Continued

Pulmonary													
Primary Active		Reinfection											
White	Non-white	Active				Inactive				Other			
		Minimal		Moderately Advanced		Far Advanced		Moderately Advanced		Far Advanced		Other	
		White	Non-white	White	Non-white	White	Non-white	White	Non-white	White	Non-white	White	Non-white
1	-	-	-	-	-	1	1	-	1	-	-	-	-
3	2	-	3	2	-	1	1	-	-	-	-	-	1
2	2	11	1	9	5	14	6	2	-	-	1	-	-
2	1	2	4	7	4	2	2	18	-	1	-	-	4
1	1	4	3	4	2	3	3	7	1	1	-	1	1
-	-	2	-	7	2	4	4	1	3	1	-	-	1
-	4	-	1	2	2	5	5	12	1	2	-	-	3
-	1	-	-	1	-	1	2	-	-	-	-	-	-
-	-	1	-	1	-	-	1	-	-	-	-	-	-
-	-	1	2	4	-	3	3	-	-	-	-	-	-
-	2	2	-	7	2	3	6	7	-	-	-	1	2
-	1	1	-	1	-	2	3	-	-	-	-	-	-
1	1	-	1	2	-	5	2	1	-	-	-	1	3
-	-	2	-	1	1	1	-	-	1	-	-	-	-
1	1	3	-	2	-	3	-	1	-	-	-	1	-
-	1	1	1	2	-	2	-	-	-	-	-	1	-
9	7	6	2	13	4	1	4	3	1	2	-	-	-
1	-	1	-	3	-	8	-	2	-	-	-	-	3
-	-	-	-	3	-	2	1	1	1	-	-	2	-
-	-	2	-	2	-	3	2	-	-	-	-	-	-
1	1	1	4	4	2	4	12	1	3	-	1	-	5
-	-	-	-	6	3	3	10	-	-	-	-	-	2
-	-	-	-	6	3	1	5	5	1	1	2	1	-
2	2	2	-	5	3	5	7	-	-	-	-	1	-
1	3	-	-	3	-	1	1	3	-	-	-	-	-
-	-	1	-	1	2	1	1	-	-	-	-	-	-
-	-	-	-	-	-	-	5	1	-	-	-	-	-

TABLE 16. —

Area	All Forms			Nonpulmonary			All Stages		
	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white
Perquimans.....	6	3	3	—	—	—	6	3	3
Person.....	27	12	15	—	—	—	27	12	15
Pitt.....	55	10	45	6	1	5	49	9	40
Polk.....	3	2	1	—	—	—	3	2	1
Randolph.....	16	14	2	—	—	—	16	14	2
Richmond.....	11	6	5	2	1	1	9	5	4
Robeson.....	31	9	22	1	—	1	30	9	21
Rockingham.....	27	16	11	1	—	1	26	16	10
Rowan.....	10	7	3	3	2	1	7	5	2
Rutherford.....	18	17	1	1	1	—	17	16	1
Sampson.....	27	11	16	2	—	2	25	11	14
Scotland.....	16	7	9	—	—	—	16	7	9
Stanly.....	23	21	2	—	—	—	23	21	2
Stokes.....	11	9	2	—	—	—	11	9	2
Surry.....	12	12	—	2	2	—	10	10	—
Swain.....	4	3	1	—	—	—	4	3	1
Transylvania.....	4	4	—	—	—	—	4	4	—
Union.....	7	4	3	1	1	—	6	3	3
Vance.....	17	11	6	2	1	1	15	10	5
Wake.....	56	23	33	3	—	3	53	23	30
Warren.....	11	1	10	—	—	—	11	1	10
Washington.....	10	6	4	—	—	—	10	6	4
Watauga.....	13	12	1	4	3	1	9	9	—
Wayne.....	40	18	22	7	3	4	33	15	18
Wilkes.....	12	11	1	—	—	—	12	11	1
Wilson.....	40	13	27	1	—	1	39	13	26
Yadkin.....	6	4	2	—	—	—	6	4	2
Yancey.....	9	9	—	—	—	—	9	9	—

TUBERCULOSIS — Continued

Pulmonary													
Primary Active		Reinfection											
White	Non-white	Active				Far Advanced				Inactive			
		Minimal		Moderately Advanced		Far Advanced		Moderately Advanced		Far Advanced		Other	
		White	Non-white	White	Non-white	White	Non-white	White	Non-white	White	Non-white	White	Non-white
-	1	-	1	1	-	1	1	1	-	-	-	-	-
1	8	1	-	1	3	5	3	3	-	-	-	-	1
1	5	1	3	5	12	1	16	1	1	1	-	-	3
-	-	-	-	1	1	-	-	1	-	-	-	-	-
-	-	2	-	3	1	7	-	1	1	-	-	1	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	1	-	-	3	2	2	-	-	-	-	1	-	-
1	4	-	1	7	10	3	5	1	1	1	-	1	-
-	2	-	1	3	3	4	-	-	-	-	-	-	-
-	-	1	-	5	-	7	-	1	-	-	1	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-
1	1	1	-	2	3	4	6	-	1	2	1	2	2
-	-	-	1	4	3	2	3	1	-	-	-	-	1
-	-	3	-	3	1	4	1	2	6	-	-	2	-
-	-	-	-	3	-	4	4	-	-	-	1	1	-
-	-	-	-	3	-	4	-	2	-	1	-	-	-
-	-	-	1	1	-	1	-	1	-	-	-	-	-
-	1	-	-	2	1	1	1	-	-	-	-	-	-
3	4	4	1	10	7	5	4	1	-	1	-	1	4
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	1	-	1	1	2	-	5	-	-	-	-	-	1
-	-	2	-	2	1	2	-	-	1	-	-	-	-
-	-	3	4	6	3	4	8	-	-	-	-	2	3
-	-	-	-	1	-	4	1	1	-	1	-	1	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-
1	5	2	1	4	6	4	10	2	1	-	-	1	3
-	-	-	-	5	1	1	1	-	-	-	-	-	-
-	-	-	-	-	-	4	-	-	-	-	-	-	-

